A Smarter Kind of Simple





www.kwiksetapac.com

TONG LUNG METAL INDUSTRY CO., LTD. Chiayi Office: No. 82 Zhonghua Rd., Minxiong Industrial Park, Chiayi County, 62157, TAIWAN Taipei Office: No. 44, Sec.2, Zhongshan N. Rd., Taipei City, 10448, TAIWAN E-MAIL: Kwikset.apac@assaabloy.com 2025 International Catalog





Brand Statement

17.

(mf

-

Your home — it's where you create, discover, obsess, love, play and experience. From the outside, it's four walls and a roof. But on the inside, it's the world you live in and we are here to protect it.



TABLE OF CONTENTS

GENERAL	INFORMATION

Terms and Conditions 3
General Information
SmartKey Security 6
ELECTRONICS · · · · · · · · · · · · · · · · · · ·
TUBULAR LOCKS - Signature Series 32-75
TUBULAR LOCKS - Security Series
TUBULAR LOCKS - Classic Series · · · · · · · · · · · 106-123
PARTS & ACCESSORIES · · · · · · · · · · · · · · · · · · ·
HOW TO ORDER CHARTS 149-151



Oct. 2024

Oct. 2024

WARRANTY CLAIMS

If you wish to make a warranty claim based upon a Product defect, please call us at 1-800-327-LOCK (5625) or contact us at kwikset.com/support.

Please note that you will be required to provide a description of any claimed defect(s) and a dated receipt or other proof of purchase from Kwikset or the Kwikset authorized seller, to verify warranty eligibility.

Certain claimed defect(s) covered by these warranties may be resolved by Kwikset providing you with troubleshooting steps.

Other claimed defect(s) covered by these warranties may require Product replacement. Products may not be returned to Kwikset without prior authorization from Kwikset. If authorized by Kwikset, you will need to mail your Product to: Spectrum Brands, Inc.

Kwikset grants to each of its Customers limited, non-transferable, ATTN: Kwikset Consumer Services non-sublicenseable licenses of the patents relating to the Kwikset products that 19701 Da Vinci the Customer is authorized to sell and of the copyrights in any packaging or other Lake Forest, CA 92610 written materials included therewith or related thereto. Said patent and copyright A prepaid shipping label will be provided to you. licenses are solely to sell such Kwikset products covered by such patents and to which such copyrights relate only to end-users and other Customers in compliance REMEDIES with the terms of this document. The sale of such patented Kwikset products and For certain claimed defect(s) covered by these warranties, as determined by Kwikset, the sale or use of such copyrighted materials by a Customer that violate the terms Kwikset will provide you with troubleshooting steps. of this document exceed the scope of the licenses herein granted to the Customer and may constitute patent and/or copyright infringement.

For other claimed defect(s) covered by these warranties, as determined by Kwikset, Kwikset will replace the defective Product or part

If a Kwikset Product, which is the same as the Kwikset Product or any part covered by these warranties, has been discontinued at the time of replacement or if Kwikset determines, in its sole discretion, that such replacement is inappropriate, Kwikset reserves the right to substitute an alternative product. Kwikset also reserves the right to accept or reject an alternative product proposed as a replacement, when the value is higher than that of the Product originally purchased by the Purchaser. Except as expressly provided in these warranties to the contrary, KWIKSET SHALL NOT BE OBLIGATED OR LIABLE FOR LABOR OR OTHER COSTS RELATED TO INSTALLATION, REPAIR OR REPLACEMENT OF A KWIKSET PRODUCT, OR FOR LOSS OF, OR DAMAGE TO ANY MATERIAL WHICH IS NOT SOLD BY KWIKSET.

PATENT INDEMNITY

We agree to defend any suit or proceeding brought against our customer so far as based on claim that our products, or any part thereof, made solely to our specifications and furnished to our customer constitute an infringement of any U.S. patent, if notified promptly in writing and given authority, information and assistance at our expense for the defense of same, and we shall pay all damages and costs awarded therein against our customer. In case our products, or any part thereof, is in such suit held to constitute infringement and their use is enjoined, we will, at our expense and discretion, either procure for our customer the right to continue using the products or replace same with non-infringing products, or modify them so they become non-infringing, or remove such products and refund the purchase price (less depreciation, prorated from the purchase date). The foregoing states our entire liability for patent infringement by our products or any part thereof.

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THOSE STATED HEREIN. ANY IMPLIED WARRANTIES THAT MAY BE APPLICABLE TO PRODUCTS. INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE **INTELLECTUAL PROPERTY** LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. SOME STATES DO NOT No person or entity may sell, distribute, advertise, market or promote Kwikset branded ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE products distributed by Kwikset Corporation ("Kwikset") Spectrum Brands Hardware LIMITATION MAY NOT APPLY TO YOU, UNDER NO CIRCUMSTATNCES SHALL KWIKSET BE Home Improvement Division, without prior authorization from Kwikset. Customers of LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES BASED UPON Kwikset who are authorized to sell Kwikset branded products are referred to herein as BREACH OF THIS LIMITED WARRANTY, BREACH OF CONTRACT, OR STRICT LIABILITY. "Customers." SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT The Kwikset brand and all Kwikset trademarks, trade names, product depictions, colors, APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY graphics or logos, whether or not registered or otherwise protected (the "Marks"), remain ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. the sole and exclusive property of Kwikset and nothing arising out of the relationship Effective Date: [July 6th 2020]

between Kwikset and any Customer conveys to Customer any ownership rights in the Marks. Customer may use the Marks and then only in the sale or promotion of authentic Kwikset products in compliance with the terms of this policy. The Marks must be used exactly in the form provided and in conformity with all Kwikset trademark usage policies or guidelines, including, but not limited to, those relating to shape, color match and imprint quality. Any proposed deviation must be approved in writing by Kwikset prior to use. The Marks may not be used in or as part of any Customer domain name on the Internet. Prior to any use of the Marks on goods or services, Customer must submit samples for Kwikset's approval

TERMS AND CONDITIONS OF SALE

Standard terms are 2% prompt payment discount for payment within 25 days from date of invoice; net 30 days from the date of invoice. Kwikset® reserves the right to charge and recover on invoices which are not paid within the above terms, a service charge of 1-1/2% a month for each month or fraction thereof during which the invoice remains unpaid, said service charge, however, not to exceed the highest applicable legal rate of interest. All orders, whether solicited or written by our sales representatives or forwarded by our customers are deemed to be mere offers to purchase in accordance with these Terms and Conditions of Sale until actually accepted by us at our home office in Lake Forest, CA, We reserve the right to refuse any order as well as the right to sell or not sell to any firm at our sole discretion. The acceptance of an order is expressly made conditional upon your assent to these Terms and Conditions of Sale. We object to the inclusion of any different or additional terms or conditions, even if the same are included in your order, a contract of sale will result upon the Terms and Conditions of Sale stated herein only. Prices reflected in this book apply to Wholesale customers only.

All sales are final.

PRICES

Pricing based on full-case quantities only; orders for less than full case will be automatically adjusted up to the next full-case quantity. All prices are subject to change without notice and are not guaranteed. All taxes, duties or other charges are the responsibility of the customer.

CLAIMS

Price claims must be submitted in writing to Kwikset, 19701 Da Vinci, Lake Forest, CA 92610 within 30 days from the date of invoice.

CHANGES OR CANCELLATIONS

Beyond 5 working days of our acknowledgement date no changes can be made. Additions to an order will be handled as a separate order and must meet applicable minimum order requirements. Order cancellation on regular stock items only, or any portion thereof is allowed only upon prior written consent from Kwikset, and the payment of cancellation charges deemed appropriate.

MINIMUM CHARGE

No order will be invoiced for less than \$100.00 net plus shipping charges except for lock accessory parts.

MINIMUM ANNUAL SALES VOLUME

The company reserves the right to discontinue direct sales to any customer who does not meet the minimum annual sales volume requirement. The current annual requirement is \$50,000.00. Your annual purchases are determined by accepted, non-cancelled, and shipped orders received during each calendar year. Kwikset reserves the right to change any or all minimum annual sales volume requirements at any time. Any customer who does not meet the annual sales volume requirements may continue to purchase Kwikset products through a Kwikset distributor.

RETURNS

Defective merchandise returned to our factories requires prior written authorization from a Kwikset Sales Rep or the Sales Office. A factory return authorization must accompany the returned shipment. The return authorization must include an itemized listing of the merchandise and an explanation stating the reason for return.

There will be a 20% product restocking fee on all returned merchandise.

FREIGHT

All goods are invoiced FOB to our factory. Upon delivery of shipments to the carrier, title to, and the risk of loss or damage in transit for such shipments, passes to our customer. Kwikset's standard policy is to pay freight charges on all orders over \$1,000.00 net invoice value to a single destination in the continental U.S., by carrier and route of our choice. Shipments less than these quantities will not be shipped on a prepaid basis. If higher freight charges are incurred from customers specifying a carrier or route of their choice the additional cost will be added to that customer's invoice.

DELIVERY CONDITIONS

Shipping schedules are our best estimates, and cannot be guaranteed. Kwikset is not responsible for any direct or consequential loss or damage resulting from an inability or delay in meeting shipping schedules.

KWIKSET LIMITED WARRANTIES

Kwikset products are backed by one of the most comprehensive warranty programs available. You can feel confident that with the purchase of Kwikset you have selected the best quality product, backed by the best customer service available.

MECHANICAL LIMITED WARRANTY

Except as otherwise provided below. Spectrum Brands. Inc., for its Kwikset* brand products ("Kwikset"), warrants to the original residential purchaser (the "Purchaser") that each Kwikset product (the "Product(s)" or "Kwikset Product(s)") will be free from mechanical defects under normal use from the date of purchase for as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Mechanical Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and quality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites.

FINISH LIMITED WARRANTY

The finish on Kwikset Products is protected by a durable topcoat designed to maintain the beauty and quality of the Kwikset Product. Kwikset warrants to the Purchaser that the finish of the Product shall be free of defects in material and workmanship from tarnishing, flaking, and discoloring from the date of purchase for as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Finish Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and quality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites.

ELECTRONIC LIMITED WARRANTY

Kwikset warrants to the Purchaser that Kwikset Products will be free from electronic defects under normal use for one (1) year from the date of purchase, as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Electronic Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and guality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites

EXCLUSIONS FROM WARRANTY

1. Any Kwikset Product produced prior to January 1, 2006.

2. Any Kwikset Product which has been damaged as a result of installation contrary to any of Kwikset's written installation instructions is not covered by these warranties. 3. Any Kwikset Product which has been modified by any non-Kwikset component is not covered by these warranties.

4. Any Kwikset Product having a defect caused by neglect, misuse, abuse or unreasonable or extraordinary use or maintenance, including use in a commercial application is not covered by these warranties

5. Any Kwikset Product having a defect due to use of paints, solvents, or other chemicals is not covered by these warranties.

6. Any Kwikset Product that is used in combination with knobs, levers, or trim of other than those manufactured by Kwikset and designated for use with the applicable locks or latches is not covered by these warranties.

7. Any Kwikset Product that was purchased from an unauthorized seller is not covered by these warranties

These warranties are not transferable. Therefore, no transferee is covered by these warranties.

¹Kwikset Products produced prior to January 1, 2006, may be eligible for warranty in accordance with the terms and conditions of the applicable warranty program.



TERMS AND CONDITIONS

Additionally, no Customer may use product depictions, graphics, logos or text relating to Kwikset products that have not been provided by Kwikset in connection with the advertising, promotion or sale of Kwikset products without Kwikset's prior review and written approval of each such use. The Marks may not be used in or as part of any reseller or other third party (i) domain name or VRL on the Internet, (ii) trademark or service mark, or (iii) company or trade name. Any action on the part of a Customer that violates the terms of this policy or otherwise impairs the value of or goodwill associated with the Marks or is otherwise not in conformity with Kwikset's standards may result in the suspension or termination of the Customer's authorization or any other remedy permitted by law

STANDARDS

Kwikset meets or exceeds the testing requirements specified for each product grade or rating.

- American National Standards Institute (ANSI)
- Builders Hardware Manufacturers Association (BHMA)
- Underwriters Laboratories, Inc. (UL)
- Americans with Disabilities Act (ADA)

MISCELLANEOUS

Substitution of non-Kwikset components/parts, and any alteration or modification of factory parts, and other lock manufacturer's parts may result in door hardware which does not function properly or will fail and will void all warranties. Orders not specified with keying requirements will be shipped Keyed Differently (KD). Orders with keying requirements of K10 or more must have a "Letter of Release" on file with Kwikset stating that Kwikset Corporation will not be held liable for cost and expense arising from any loss or damage to property utilizing Kwikset products where 10 or more locks have been keyed alike. Contact your Sales Office account representative for a copy of the release form. Kwikset reserves the right to revise or modify products. product information, or pricing without notice. Product specifications and pricing reflect available information at the time of printing. Kwikset is not responsible for typographic or printing errors.

LIMITATION OF LIABILITIES

GENERAL INFORMATION

GENERAL INFORMATION

DESCRIPTION

SERIES

ELECTRONIC LOCKS

270 TRL	SMARTCODE TOUCHPAD LOCK
270 CNT	SMARTCODE TOUCHPAD LOCK
260 TRL	SMARTCODE KEYPAD LOCK
260 CNT	SMARTCODE KEYPAD LOCK
250 TRS	POWERBOLT KEYPAD LOCK
240 CNT	POWERBOLT KEYPAD LOCK
240 TRL	POWERBOLT KEYPAD LOCK
917 TNL	SMARTCODE LEVER
917 HFL	SMARTCODE LEVER
955	SMARTCODE LEVER
955	SMARTCODE LEVER(KINSTON)

ELECTRONIC EURO MORTISE SERIES

SMART LOCK
FACE RECOGNITION & VIDEO SMART LOCK
WIFI ENABLED SMART LOCK
WIFI ENABLED SMART LOCK
WIFI ENABLED SMART LOCK
WIFI ENABLED SMART LOCK

TUBULAR SIGNATURE SERIES

Handleset 553/800/802/814/ 815/818/819

Lever

750/755/788

Deadbolt

984/985

Шe

PF1

PF2 PF3

PF8 PF9 PF9

> Single Cylinder / Dummy / Handle Only / Handleset with lever / Single Cylinder + Interior Knob

Single / Double Cylinder / Thumbturn Once / Single Sided /

Retrofit kit / Keyed Entry / Double Cylinder SMT

720/725/730/740/ Entry / Bed & Bath / Hall & Closet / Half Dummy Trim 745/788 Knob 720/730/740/745/

Entry / Bed & Bath / Hall & Closet / Storeroom / Half Dummy Trim

158/159/258/780/ 782/785/980/982/

Single /Double Cylinder Deadbolt

CYLINDER & TUBULAR SECURITY SERIES

Handleset 687/898

334/335

Knob 300/400 Single Cylinder / Handle Only

Lever 200/300/405/409 Entry / Keyed / Bed & Bath / Hall & Closet / Storeroom / /412/420/462/488 Half Dummy Trim Knob 200/300/400/450 Entry / Bed & Bath / Hall & Closet / Storeroom / Half /488 Dummy Trim Deadbolt

599/660/663/664 /665/667/690 Pock Door Lock

Round / Square

CYLINDER & TUBULAR CLASSIC SERIES

Handleset Single / Double Cylinder 687/689 Lever 300/405 Vestibule / Entry / Keyed / Bed & Bath / Hall & Closet /

Enty / Bed & Bath


Deadbolt 660/665

Single / Double Cylinder

Passage / Half Dummy Trim

HANDING

To determine the handing of a door, face the OUTSIDE of the door. If the hinge is on the left side of the door, the door is left handed (LH). If the hinge is on the right side of the door, the door is right handed (RH).



FINISHES





Nicke Chrome



lron Black Chrome

SMARTKEY

I will never have to sacrifice style for security.

A KWIKSET CUSTOMER



SMARTKEY SECURITY







WHAT IS SMARTKEY SECURITY[™]?

SmartKey Security[™] is a patented lock cylinder technology that increases the security of your home. SmartKey Security[™] locks not only pass the stringiest security industry standards, but also allow you to re-key your lock in just seconds without removing the lock from the door. These features make SmartKey Security[™] one of the toughest locks to defeat, and ensure that you have complete control of who accesses the most precious space in the world: Your Home.

HOW DOES SMARTKEY SECURITY[™] WORK?

SmartKey Security[™] has a patented side locking bar technology that replaces the traditional pin and tumbler design. This design makes our lock almost impossible to pick and provides improved security against lock-bumping, an attack technique that can defeat traditional pin and tumbler locks. The SmartKey Security[™] re-key feature allows the homeowner, with the use of the SmartKey Security[™] tool and their working key, to reprogram their lock in case the security of their home has been compromised.

REASONS TO RE-KEY








Loaned or unreturned keys

Your child has lost their key, again

n Recen tenan



oved, nover dif



You have a different key for each door



Our SmartKey Security[™] technology is one of the most secure locks available, and the only lock in the market that allows you to have complete control of who has access to your home. With SmartKey Security[™], you can be sure that your family is protected from burglaries, home invasions, and unauthorized entries.

FEATURES

DRILL RESISTANCE

The lock cylinder uses two steel balls inserted into the front of the key face to resist attack from drilling.

ANSI GRADING

SmartKey is available in an ANSI Grade 1 certified deadbolt - the highest level of residential security.

KEY IT YOURSELF

Lock is re-keyable in less than 15 seconds by using the included learn tool without removing the lock from the door.

SECURITY


It's why we buy locks in the first place. For the very best in residential security make sure your lock has these important features:

ANSI CERTIFICATION

Kwikset locks are available in Grade 1, 2 and 3 When choosing your next lock, make sure it is ANSI/BHMA Certified. Many lock brands simply state their lock "meet" or have been "tested" to the ANSI requirements, but very few are truly certified.

BUY FROM A REPUTABLE COMPANY

Kwikset is part of Spectrum Brands, the largest manufacturer of residential tubular locks in the world. Our locks undergo rigorous tests and you can rest assure our claims are accurate and certified. We take home security seriously!













Loaned or unreturned keys






You have a different key for each door



SMARTKEY SECURITY FAMILY

If your home or small business has several locks with different keys for each one, you know how frustrating it can be to search for the right key when opening a door. Smartkey Security is the only lock technology that allows you to easily and securely re-key your different Kwikset locks to one key. No more worrying about lost or stolen keys. Look for Smartkey Security on a wide range of lockset platforms. From front gate to back door, Smartkey Security has you covered.



#1 SELLING U.S. LOCK BRAND*

*Source: TraQline US quarterly brand unit share report, Q4 2006 through Q3 2017


ONE KEY IS ALL YOU NEED


10



HOW SMARTKEY WORKS













Fully insert your new key into the lock, А and rotate it 180°.

B Rotate the new key 90° back to the starting position, and remove it. Your lock is now re-keyed to your new key, and your old key will no longer operate the lock.







HIGH SECURITY ELECTRONICS

Keyless entry makes coming home feel more personal.

A KWIKSET CUSTOMER



HIGH SECURITY

ELECTRONICS

General Information

INTRODCING HIGH SECURITY ELECTRONICS





ELECTRONIC LOCK

Experience the convenience of keyless entry. Enter your home with just a few simple pushes of a button and lock it with just one.









SmartCode 260 TRL

(

.

12345

67890

.1



The European mortise lock is generally used on the security door, suitable for general commercial and heavy industrial use.

Combines keyless entry with all the benefits of remote access.





SmartCode 270 TRL





917 TNL SmartCode Lever



Powerbolt 240 CNT





955 SmartCoce Lever (Pembroke)

Rathter 12345 67890

> 955 SmartCode Lever (Kingston)

SmartCode 270 CNT



SmartCode 260 CNT

Tubula





917 HFL SmartCode Lever





Tubular

Parts

PF9 (without Thumb turn)

US LOCK

23

456

V O 🔒

ELECTRONICS







Feature

- The responsive touchpad offers sleek style with a large and bright LED to communicate lock status.
- Fast motorized deadbolt with one-touch locking.
- Auto-locking after 30 seconds or select custom auto-lock time delay.

What's in the box

[·]Electronic Deadbolt,(2) Standard Keys, and Instructions.

Specifications

Fubula

	Battery	Uses 4 x AA 6V alkaline cell batteries
	Codes	Up to 50 user codes and 10 one-time user codes with optional programming code
	Function	Single cylinder deadbolt
D	oor Prep	11/2" (38mm) or 21/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
	Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door 1	Thickness	1 3/8" (35mm) to 1 3/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.
Fa	aceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
	Strikes	2 3/4" (70mm) x 1 1/8" (29mm) round corner 4 hole strike
	Bolt	1" (25mm) throw, steel bolt with anti-saw security pin
Door	Handing	Reversible
	Cylinder	SmartKey Security™ with 2 KW1 keys
Temperatu	re Range	Exterior: -40°F to 150°F (-40°C to 66°C)
		Interior: 32°F to 130°F (0°C to 54°C)
	Humidity	Exterior: 100% condensing
		Interior: 30% to 95% non-condensing

Available Finishes




Nickel 15

Bronze 11P



в

Design



Design	~	Б	C	D
Interior	2 15/16"	5 3/8"	1"	
Interior	(71mm)	(137mm)	(25mm)	
Exterior	2 3/4" (70mm)	5 1/2" (140mm)	11/8" (29mm)	1 11/16" (43mm)

ITEM NUMBER	DESCRIPTION	CYLINDER	UNITS/CARTON	FINISH
992700-002	9270 TRL 15 SMT RBP RCALFD	SmartKey Security	2	15
992700-003	9270 TRL 11P SMT RBP RCALFD	SmartKey Security	2	11P

SMARTCODE 270 TOUCHPAD ELECTRONIC LOCK

Feature

- The responsive touchpad offers sleek style with a large and bright LED to communicate lock status.
- Fast motorized deadbolt with one-touch locking.
- Auto-locking after 30 seconds or select custom auto-lock time delay.

What's in the box

·Electronic Deadbolt,(2) Standard Keys, and Instructions.

Specifications

Battery	Uses 4 x AA 6V alkaline cell batteries
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code
Function	Single cylinder deadbolt
Door Prep	11/2" (38mm) or 21/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
Strikes	2 3/4" (70mm) x 11/8" (29mm) round corner 4 hole strike
Bolt	1" (25mm) throw, steel bolt with anti-saw security pin
Door Handing	Reversible
Cylinder	SmartKey Security™ with 2 KW1 keys
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing
	Interior: 30% to 95% non-condensing

Available Finishes

в





Nickel 15












Dimensions



	(70m)	(132mm)	(25mm) <i>EX</i> t	terior	
xterior	2 3/4"	5 1/2"	1 1/8"	1 11/16"	
xterior	(70mm)	(140mm)	(29mm)	(43mm)	

CYLINDER	UNITS/CARTON	FINISH
SmartKey Security	2	15
SmartKey Security	2	514

23

456

789

V O A

unikae:

1

US LOCK

ELECTRONICS



Gen

Electror

Feature

• The responsive keypad provides bright LED illumination for easy code access

SMARTCODE 260 SMARTKEY SECURITY.

KEYPAD ELECTRONIC LOCK MICROBAN

- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay
- Protected with Microban® Antimicrobial Technology built into the keypad and finish

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security

Specifications




Battery	Uses 4 x AA 6V alkaline cell batteries
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code
Function	Single cylinder deadbolt
Door Prep	11/2" (38mm) or 21/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
Strikes	2 3/4" (70mm) x 1 1/8" (29mm) round corner 4 hole strike
Bolt	1" (25mm) throw, steel bolt with anti-saw security pin
Door Handing	Reversible
Cylinder	SmartKey Security™ with 2 KW1 keys
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing

Interior: 30% to 95% non-condensing

Available Finishes







2 00.g.		-	•	_
Interior	2 13/16"	5 "	1"	
	(71m)	(127mm)	(25mm)	
Enterier	2 3/4"	5 1/2"	1 1/8"	1 11/16"
Exterior	(70mm)	(140mm)	(29mm)	(43mm)

ITEM NUMBER	DESCRIPTION	CYLINDER	UNITS/CARTON	FINISH
992600-001	9260 TRL L03 SMT RBP RCALFD	SmartKey Security	2	LO3
992600-002	9260 TRL 15 SMT RBP RCALF	SmartKey Security	2	15
992600-003	9260 TRL 11P SMT RBP RCALFD	SmartKey Security	2	11P

SMARTCODE 260 SMARTKEY SECURITY. KEYPAD ELECTRONIC LOCK MICROBAN

Feature

- The responsive keypad provides bright LED illumination for easy code access
- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay
- Protected with Microban® Antimicrobial Technology built into the keypad and finish

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security

Specifications

Battery	Uses 4 x AA 6V alkaline cell batteries
Codes	Up to 50 user codes and 10 one-time
Function	Single cylinder deadbolt
Door Prep	11/2" (38mm) or 21/8" (54mm) diame
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (7
Door Thickness	1 3/8" (35mm) to 1 3/4" (44mm) stand
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round cor
Strikes	2 3/4" (70mm) x 11/8" (29mm) round
Bolt	1" (25mm) throw, steel bolt with anti-s
Door Handing	Reversible
Cylinder	SmartKey Security™ with 2 KW1 keys
emperature Range	Exterior: -40°F to 150°F (-40°C to 66°
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing
	Interior: 30% to 95% non-condensing

Available Finishes

Brass LO3



Nickel 15



ITEM NUMBER	DESCRIPTION	CYLINDER	UNITS/CARTON	FINISH
992600-004	9260 CNT 15 SMT RBP RCALFD	SmartKey Security	2	15
992600-005	9260 CNT 26 SMT RBP RCALFD	SmartKey Security	2	26
992600-006	9260 CNT 514 SMT RBP RCALFD	SmartKey Security	2	514

Parts





me user codes with optional programming code

ameter cross bore hole and 1" diameter edge bore hole

" (70mm)

andard. Thick door service part available for 2-1/4" (57mm) thick doors.

corner faceplate with drive-in collar standard


und corner 4 hole strike


nti-saw security pin


eys

66°C)

Dimensions







Interior

Exterior

jn	Α	в	с	D
or	2 3/4"	4 9/16"	1"	
	(70m)	(116mm)	(25mm)	
or	2 3/4"	5 1/2"	1 1/8"	1 11/16"
	(70mm)	(140mm)	(29mm)	(43mm)

T C

US LOCK

ELECTRONICS



Feature • VACATION MODE: Disable the keypad when you're out of town.

• FEATURING SMARTKEY SECURITY: Re-key the lock yourself in seconds.

Innovative Security

Battery

Powerbolt 250

KEYPAD ELECTRONIC LOCK

- EASY INSTALL and BILT App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice,
- text and animation guidance for an easy installation.
- CERTIFIED SECURITY: BHMA Grade 3. Security, Durability and Finish.

Uses 4 x AA 6V alkaline cell batteries

Specifications





KEYPAD ELECTRONIC LOCK

Innovative Security

- EASY INSTALL and BILT App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice,
- text and animation guidance for an easy installation. • CERTIFIED SECURITY: BHMA Grade 3. Security, Durability and Finish.

Specifications

Battery	Uses 4 x AA 6V alkaline cell batteries
Codes	Up to 12 user codes and 2 one-time user
Door Prep	11/2" (38mm) or 21/8" (54mm) diameter
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70n
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corne
Strikes	2 3/4" (70mm) x 1 1/8" (29mm) round co
Bolt	1" (25mm) throw, steel bolt
Door Handing	Reversible
Cylinder	KW1 P&T cylinder
Security	Deadbolt : A156.36 Grade 3 Certified
Door Handing	Reversible
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing
	Interior: 30% to 95% non-condensing

Available Finishes



Nickel 15

Black 514

,	
Codes	Up to 25 user codes and 5 one-time user codes with optional programming code
Door Prep	11/2" (38mm) or 21/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
Strikes	2 3/4" (70mm) x 1 1/8" (29mm) round corner 2 hole strike
Bolt	1" (25mm) throw, steel bolt with anti-saw security pin
Door Handing	Reversible
Cylinder	SmartKey Security™ with KW1 cylinder
Security	Deatbolt : A156.36 Grade 3 Certified
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing

Dimensions


SMARTKEY

Interior: 30% to 95% non-condensing

Available Finishes









Е

1 11/16"

(43mm)

ITEM NUMBER DESCRIPTION CYLINDER UNITS/CARTON FINISH 9250 TRS L03 SMT RBP 4AL RCS 9250 TRS 15 SMT RBP 4AL RCS 992500-001 LO3 SmartKey Security 992500-002 SmartKey Security 15 11P 992500-003 9250 TRS 11P SMT RBP 4AL RCS SmartKey Security 992500-004 9250 TRS 514 SMT RBP 4AL RCS SmartKey Security 514

250 TRS

Tubular



r codes with optional programming code er cross bore hole and 1" diameter edge bore hole

mm)

rd. Thick door service part available for 2-1/4" (57mm) thick doors.

er faceplate with drive-in collar standard

orner 2 hole strike

Dimensions œ)` Design в С D Е Α 2 25/32" 4 7/32" 1 1/32' 5 1/2" 1 11/16" 240 CNT (71m) (107mm) (26mm) (43mm) (140mm)

CYLINDER	UNITS/CARTON	FINISH
SmartKey Security	2	15
SmartKey Security	2	514

US LOCK

ELECTRONICS

Information	
General	

Powerbolt ²⁴⁰

KEYPAD ELECTRONIC LOCK

Innovative Security

- EASY INSTALL and BILT App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice,
- text and animation guidance for an easy installation.
- CERTIFIED SECURITY: BHMA Grade 3. Security, Durability and Finish.

Specifications



SMARTCODE 917 RESIDENTIAL ELECTRONIC LEVER

Feature

- 3-year Battery Life: The 9V battery will last up to three years, depending on lock usage
- Reversible lever to fit lefthand or right-hand doors
- Lock owner can switch between three different locking modes: Auto-lock, Passage, and Disable Passage

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on a single 9V battery

Innovative Security

- BHMA certified AAA. Highest residential security, durability and finish ratings
- Featuring SmartKey Security[™]

Specifications

Battery	3 years battery life with 9V battery (include
Codes	30 user codes + 1 onetime temporary user
Door Prep	2 1/8" (54mm) diameter cross bore hole an
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm
Door Thickness	1 3/8" (35mm) to 1 3/4" (44mm) standard.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner f
Strikes	2 1/4" full lip round corner
Bolt	1/2" throw, dead latch
Door Handing	Reversible
Cylinder	SmartKey Security™
UL Rating	20 min
Door Handing	Reversible
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing
	Interior: 30% to 95% non-condensing

Available Finishes

Nickel 15

ITEM NUMBER

917 HFL







	Ex
ON	
ectronic Lever Halifa	ах

Touchpad	Ele
rouciipuu	LIC


DESCRIPTION

Battery	Uses 4 x AA 6V alkaline cell batteries		
Codes	Up to 12 user codes and 2 one-time user codes with optional programming code		
Door Prep	1/2" (38mm) or 2 1/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole		
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)		
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.		
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard		
Strikes	2 3/4" (70mm) x 1 1/8" (29mm) round corner 2 hole strike		
Bolt	1″ (25mm) throw, steel bolt		
Door Handing	Reversible		
Cylinder	KW1 P&T cylinder		
Security	Deadbolt : A156.36 Grade 3 Certified		
Door Handing	Reversible		
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)		
	Interior: 32°F to 130°F (0°C to 54°C)		
Humidity	Exterior: 100% condensing		
	Interior: 30% to 95% non-condensing		

Available Finishes



Dimensions



ITEM NUMBER	DESCRIPTION	CYLINDER	UNITS/CARTON	FINISH
992400-001	9240 TRL L03 RBP 4AL RCS	SmartKey Security	2	LO3
992400-002	9240 TRL 15 RBP 4AL RCS	SmartKey Security	2	15
992400-003	9240 TRL 11P RBP 4AL RCS	SmartKey Security	2	11P

Parts

Electro








ncluded)

user code for one entry only

ole and 1" diameter edge bore hole

70mm)

orner faceplate with drive-in collar standard



CYLINDER	UNITS/CARTON	FINISH
SmartKey Security	2	15/26/514

General Information

US LOCK

ELECTRONICS



eral Information

Ger

SMARTCODE 917 RESIDENTIAL ELECTRONIC LEVER



Feature

- 3-year Battery Life: The 9V battery will last up to three years, depending on lock usage
- Reversible lever to fit lefthand or right-hand doors
- Lock owner can switch between three different locking modes: Auto-lock, Passage, and Disable Passage

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on a single 9V battery

Innovative Security

- BHMA certified AAA. Highest residential security, durability and finish ratio
- Fea

Sp


Tubular

 BHMA certified AA 	AA. Highest residential security, durability and finish ratings
 Featuring SmartKe 	ey Security™
Specifications	5
Battery	3 years battery life with 9V battery (included)
Codes	30 user codes + 1 onetime temporary user code for one entry only
Door Prep	2 1/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
Strikes	2 1/4" full lip round corner
Bolt	1/2" throw, dead latch
Door Handing	Reversible
Cylinder	SmartKey Security™
UL Rating	20 min
Door Handing	Reversible
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C)
	Interior: 32°F to 130°F (0°C to 54°C)
Humidity	Exterior: 100% condensing

Interior: 30% to 95% non-condensing

Available Finishes





SMA	RT	CO	DE	9

COMMERCIAL GRADE LEVER

Feature

- Certified Advanced Security: Grade 2 BHMA Certified, up to 2.5x stronger than Grade 3.
- Intrusion Alert: 3 wrong codes disable keypad and sound alarm. • Easy Low Light Code Entry: Bright LED light-up keypad. • Featuring SmartKey Security: Re-key the lock yourself in seconds.
- Easy Install And Bilt App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice, text and animation guidance for an easy installation.

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on a single 9V battery

Specifications

-	
Battery	3 years battery life with 9V battery (inclu
Codes	30 user codes + 1 onetime temporary us
Function	Keyed entry electronic lever
Door Prep	2 1/8" (54mm) diameter cross bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70r
Door Thickness	13/8" (35mm) to 13/4" (44mm) standard
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corne
Latch	Round corner adjustable 2 3/8" x 2 3/4"
Bolt	1/2" throw, dead latch
Door Handing	Reversible
Cylinder	SmartKey Security™
UL Rating	20 min
ADA	Certified

Available Finishes



Satin Nickel 15 Bronze 11P





Chrome 26D



ITEM NUMBER	DESCRIPTION
955	Touchpad Electronic Lever

Parts









Innovative Security

• BHMA Commercial Grade 2 certified

• BHMA certified AAA. Highest residential security, durability and finish ratings ADA Compliant

• Tested to 500,000 cycles

luded)


ser code for one entry only

and 1" diameter edge bore hole

mm)

rd.

her faceplate with drive-in collar standard



CYLINDER	UNITS/CARTON	FINISH
SmartKey Security	2	11P/15/26D/514

US LOCK

Gen

Electro

SMARTCODE 955 COMMERCIAL GRADE LEVER

Feature

- Certified Advanced Security: Grade 2 BHMA Certified, up to 2.5x stronger than Grade 3.
- Intrusion Alert: 3 wrong codes disable keypad and sound alarm.
- Easy Low Light Code Entry: Bright LED light-up keypad.
- Featuring SmartKey Security: Re-key the lock yourself in seconds.
- Easy Install And Bilt App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice, text and animation guidance for an easy installation.

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on a single 9V battery
- BHMA Commercial Grade 2 certified • BHMA certified AAA. Highest residential security, durability and finish ratings

Innovative Security

• ADA Compliant

Specifications

- Tested to 500,000 cycles

Battery	3 years battery life with 9V battery (included)
Codes	30 user codes + 1 onetime temporary user code for one entry only
Function	Keyed entry electronic lever
Door Prep	2 1/8" (54mm) diameter cross bore hole and 1" diameter edge bore hole
Backet	Adjustable 2 3/8" (60mm) or 2 3/4" (70mm)
Door Thickness	1 3/8" (35mm) to 1 3/4" (44mm) standard.
Faceplates	1" (25 mm) x 2 1/4" (57 mm) round corner faceplate with drive-in collar standard
Latch	Round corner adjustable 2 3/8" x 2 3/4"
Bolt	1/2" throw, dead latch
Door Handing	Reversible
Cylinder	SmartKey Security™
UL Rating	20 min

Available Finishes




ADA Certified







Dimensions



ITEM NUMBER	DESCRIPTION	CYLINDER	UNITS/CARTON	FINISH
99550-005	955KNL 15 SMT RBP	SmartKey Security	1	15/514/26D
99550-006	955KNL 26D SMT RBP	SmartKey Security	1	15/514/26D
99550-007	955KNL 514 SMT RBP	SmartKey Security	1	15/514/26D



23

89

456

V 0 A

Kwikset

.1

7

SMARTCODE 200 TOUCHPAD ELECTRONIC LOCK

The convenience of keyless entry with the ultimate in touchscreen security.





Did you lock your doors this morning?

With a Kwikset APP with WiFi Lock, you can access your lock from anywhere. Never worry about forgetting to lock your door again.

Control when others have access to your home

Do you have a contractor coming by on Monay at 2 pm, or a housekeeper that comes on Thursdays between 14pm - 17pm? You can assign a specific code and create a schedule that only allows entry into your hoe during those times.

ELECTRONICS

PF 📵 EURO MORTISE SMART LOCK



Feature

- With the fingerprint sensor integrated into the handle, unlocking is conveniently, in one touch.
- User friendly : Voice-guiding for setting and operation
- Ficitious code function to protect passwords security.
- Child-proof lock & Night latch function provided.
- Multiple alarms to protect home security for low battery lever reminder, unauthorized entry alarm and anti-pry alarm.
- Intuitive & quick locking Lift handle upward and lock the lock swiftly at one go.
- Anti-Tesla & Coils Attach & Hight Voltage Prevention capability.

Specifications

Battery

Uses 4 x AA 6V alkaline cell batteries Lock Body Material

Aluminum Alloy

Capacity of Memory

Fingerprint 100 sets / PIN Code 250 sets / RFID Card 1,000 sets

Fingerprint Sensor PFC Biometric Semi-Conductor

Card Mifare 13.56 MHz

PIN Cod length 4 to 9 digits

Door Thickness

35mm to 85mm **Emergency Power Supply**

Type C port

Cvlinder

Dimple Key Cylinder

Door Handing Reversible

Language Setting Chinese / English


Finishes


Coffee Brown (CB), Graphite (BG), Matte Black (514)



Dimensions







Design	Α	В	с	D
Interior	162.2mm	365.0mm	75.7mm	28.5mm
Exterior	162.2mm	365.0mm	75.7mm	28.5mm

Latchcase Backset 60mm / 70mm
Mounting Bore Distance 68mm center to center
Deadbolt Anti-fiction fire proof cast stainless steel with 12 mm throw
Latchbolt Fire proof cast stainless steel with 20 mm throw
Night-latch Fire proof cast stainless steel with 17 mm throw
Faceplate 240 mm(L) x 22 mm(W) x 3.0mm (T), SUS304

Tubular

<u>0</u> Ц

EU LOCK

ELECTRONICS

PF2 Face Recognition & Video Smart	Lock			
WiFi Enabled Face Recognition Fingerprint Unlock APP Unlock Tempor	rary PIN Code	RFID Card Unlock	Mechanical Key Unlock	NFC Unlock
• Always know who's at the door - Via the WiFi con view the real-time situation at the door from PF2 loc • Make real-time communication everywhere - Whe	k APP. In the visitor pre	2		
 bush to the APP instantly, and you could start a two- Instantly protect home security at all time – When vill identify abnormal dynamics by instantly capturin Fast Swedish FPC fingerprint recognition speed is 	someone move ng photo or vide less than 0.5s.	o with the ir		
 Care more about safety of children and pets with N Specifications 	NIGNT LATCH FUN		nsions	
BatBattery DC7.4V (5,000mAh) Lithium rechargeable battery .ock Body Material				

Electron

6-12 digits Face Recognition Module 3D face recognition technology with infrared LEDs, Dual camera. **Door Thickness** 35mm - 85mm Emergency Power Supply Type C Alarm Function Low battery, Unauthorized access prompt, Anti-kidnapping prompt, Attack alarm Language Setting Chinese / English

Master: 9 sets (Including Fingerprint / RFID Card/PIN Code/ Face unlock)

User: 291 sets (Including Fingerprint/ RFID Card/PIN Code/ Face unlock)

(Fingerprint up to 100 sets / Face unlock up to 50 sets)

Finishes Coffee Brown (CB), Matte Black (514)

B B C C C C C C C C C C C C C C C C C C		O B C C C C C C C C C C C C C C C C C C	
^	P		^

Design	A	В	C	
Interior	76.6mm	430.8mm	75.6mm	
Exterior	74.0mm	440.8mm	55.6mm	

L stakeses	
Latchcase	ł
Deckeet	

Backset 60mm / 70mm Mounting Bore Distance 68mm center to center

Deadbolt Anti-fiction fire proof cast stainless steel with 12 mm throw

Latchbolt Fire proof cast stainless steel with 20 mm throw

Night-latch Fire proof cast stainless steel with 17 mm throw

Faceplate

240 mm(L) x 22 mm(W) x 3.0mm (T), SUS304



PF 3

EURO MORTISE SMART LOCK



Feature

• With built-in Wi-Fi module, the visitor press the doorbell, a message will be pushed the APP instantly, and the house owner send PIN code or unlock the lock remotely. • Fast Swedish FPC fingerprint recognition speed is less than 0.5s. • Security is assured - With any two combinations of fingerprint, PIN code, and RFID card under dual verification mode, you can unlock the door, which provides double protection for home security. • Care more about safety of children and pets with Night Latch Function.

• Multiple alarms & Fictitious code function to ensure home secure and eliminate risk.

Specifications

Battery Uses 4 x AA 6V alkaline cell batteries

Lock Body Material

Aluminum Alloy

Capacity of Memory

Master: 9 sets (Including Fingerprint / RFID card / PIN code) User: 291 sets (Including Fingerprint / RFID card / PIN code) (Fingerprint up to 100)

Fingerprint Sensor

PFC Biometric Semi-Conductor

Card

Mifare 13.56 MHz

PIN Cod length 6 to 12 digits

Door Thickness

35mm to 85mm

Emergency Power Supply

Type C port Cylinder

5 pin, Cl Keyway

Door Handing

Reversible

Language Setting Chinese / English

Finishes

Coffee Brown (CB), Matte Black (514)



٩

Gel

Zinc Alloy

Card

Capacity of Memory

Fingerprint Sensor

Mifare 13.56 MHz

PIN Cod length

PFC Biometric Semi-Conductor



5








Dimensions







Design	Α	в	с	D	Е
Interior	158mm	354mm	68mm	25mm	76mm
Exterior	158mm	354mm	70mm	25mm	76mm

Latchcase Backset

60mm / 70mm

Mounting Bore Distance 68mm center to center

Deadbolt

Anti-fiction fire proof cast stainless steel with 12 mm throw

Latchbolt

Fire proof cast stainless steel with 20 mm throw

Night-latch

Fire proof cast stainless steel with 17 mm throw

Faceplate

240 mm(L) x 22 mm(W) x 3.0mm (T), SUS304

Eloct.

EU LOCK

ELECTRONICS



S



WiFi Enabled APP Unlock Fingerprint Unlock

Feature

• Share access E-keys and manage accesses and set lock functions remotely (WiFi version).

PIN Code Unlock

Mechanical Key Unlock


RFID Card Unlock

- Fast Swedish FPC fingerprint recognition speed is less than 0.5s.
- Indoor Deadlocking Mode, with electronic deadlock button, the lock can only be operated by master code/fingerprint/card or mechanical key which enhance the entrance security.
- Protect your account from hacking with Two-Factor Authentication.
- Anti-pry, High Voltage shock resistance, and effective shielding against strong magnetic pulse Interference.

Specifications

Dimensions

Battery	Uses 4 x AA 6V alkaline cell batteries	1	\frown		7
Lock Body Material	Aluminum Alloy				
Capacity of Memory	Master: 9 sets (Including Fingerprint / RFID card / PIN code) User: 291 sets (Including Fingerprint / RFID card / PIN code) (Fingerprint up to 100)				
Fingerprint Sensor	PFC Biometric Semi-Conductor	B	┯╼╢╿		
Card	Mifare 13.56 MHz		ô	E	
PIN Cod length	6 to 12 digits		٥		
Door Thickness	35mm to 85mm				
Emergency Power Supply	Type C port	·			_c_
Cylinder	Low battery, Unauthorized access prompt, Attack alarm		Interio	or	E
Door Handing	Reversible	Design	А	в	
Language Setting	Chinese / English				
Finishes	Coffee Brown (CB), Matte Black (514)	Interior	154.5mm	283.2mm	·
		Exterior	154.5mm	283.2mm	i -



С

70.2mm

70.2mm

.

D

25.0mm

25.0mm

0

0

PF 🦻
EURO MORTISE SMART LOCK



Feature

- Share access E-keys and manage accesses and set lock functions remotely (WiFi version).
- Fast Swedish FPC fingerprint recognition speed is less than 0.5s. • Indoor Deadlocking Mode, with electronic deadlock button, the lock can only be operated
- by master code/fingerprint/card or mechanical key which enhance the entrance security. • Protect your account from hacking with Two-Factor Authentication.
- The anti-peephole unlock function is designed to prevent criminals from damaging the peephole.

• Anti-pry, High Voltage shock resistance, and effective shielding against strong magnetic pulse Interference.

Specifications

Batte

Ja rtery Jses 4 x AA 6V alkaline cell batteries	
ock Body Material Juminum Alloy	
Capacity of Memory Naster: 9 sets (Including Fingerprint / RFID card / PIN code) Jser: 291 sets (Including Fingerprint / RFID card / PIN code) Fingerprint up to 100)	
ingerprint Sensor FC Biometric Semi-Conductor	
Card Iifare 13.56 MHz	
IN Cod length to 12 digits	
Door Thickness 5mm to 85mm	
mergency Power Supply ype C port	
larm Function ow battery, Unauthorized access prompt, Attack alarm	
Door Handing Reversible	
anguage Setting	

Chinese / English

Finishes

Coffee Brown (CB), Matte Black (514)







Single Latch

Stainless steel

25.3x56.8x1mm

60mm

Latc	hcase
Feature	

72mm 22x235x3.0mm

Stainless steel

60mm

Intuitive & quick locking

6072 Mortise Latchcase


Parts

Lo

La



Dimensions



Design	А	в	с	D
Interior	157.5mm	343.5mm	71.9mm	25.9mm
Exterior	157.5mm	343.5mm	71.9mm	25.9mm

Feature 6068/7068 Mortise Latchcase Backset

60mm/70mm

Mounting Bore Distance 68mm center to center

Faceplate(WxHxD)

22x240x3.0mm, SUS304

Function Intuitive & quick locking

Information eral I Gen

EU LOCK



PF 9 **EURO MORTISE SMART LOCK** Ø WiFi Enabled APP Unlock Fingerprint Unlock RFID Card




Feature


- Share access E-keys and manage accesses and set lock functions remotely. (WiFi version). • Fast Swedish FPC fingerprint recognition speed is less than 0.5s.
- Multiple Intelligent Monitoring Protection Alarms, and mobile alert notifications
- Protect your account from hacking with Two-Factor Authentication.
- Fictitious Code Function: Preventing password peeking and fingerprint residue.
- Anti-pry, High Voltage shock resistance, and effective shielding against strong magnetic pulse Interference.




Battery	Uses 4 x AA 6V alkaline cell batteries
Lock Body Material	Aluminum Alloy
Capacity of Memory	Master: 9 sets (Including Fingerprint / RFID card / PIN code) User: 291 sets (Including Fingerprint / RFID card / PIN code) (Fingerprint up to 100)
Fingerprint Sensor	PFC Biometric Semi-Conductor
Card	Mifare 13.56 MHz
PIN Cod length	6 to 12 digits
Door Thickness	35mm to 85mm
Emergency Power Supply	Type C port
Alarm Function	Low battery, Unauthorized access prompt, Attack alarm
Door Handing	Reversible
Language Setting	Chinese / English
Finishes	Coffee Brown (CB), Matte Black (514)

Dimensions









Electronics



Coffee Brown (CB), Matte Black (514)



Latchcase			
Feature	5050 Euro Mortise	6072 Euro Mortise	6085 Euro Mortise
Backset	50mm	60mm	60mm/70mm
Mounting Bore Distance	68mm center to center	68mm center to center	68mm center to center
Faceplate(WxHxD)	22x147x2.5mm	22x235x3.0mm	22x240x3.0mm
Function	Intuitive & quick locking	Intuitive & quick locking	Intuitive & quick locking





INNOVATIVE DESIGN, INSIDE AND OUT

33

Signature Series

Ð

1

Prava

TUBULAR

General Information





The Kwikset Signature Series offers an elevated level of sophistication, premium style cues and industry leading quality and security.

In all Signature Series communications, our language and tone of voice will be confident, modern, stylish and trustworthy.

HANDLESETS

Tubular

Parts

Arlington





Chelsea



0











LEVERS



Perth

Pismo

Katella

Sedona

Lisbon

KNOBS



780





Arroyo

Abbey

DEADBOLTS







Halifax





Prague

San Clemente

Vancouver

Tavaris


Prescott

Downtown

980

Midtown

Kwikset







Singapore















Trafford



Tustin












San Clemente Rectangular



Laurel

TUBULAR

TRADITIONAL



Arlington




SKU#	Function
800AN	SMT Single Cylinder
802AN	Dummy
814AN	Handle Only
815AN	Handleset with Tustin
815AN	Handleset with Hancock

Tubular





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
64mm	140mm	279mm	484mm

Cylinder	Finish
SmartKey Security	LO3/11P/15
	LO3/11P/15
	LO3/11P/15
	11P/15
	LO3/11P/15

General Information

TUBULAR

TRADITIONAL



Chelsea










General Informatior

Electronics

SKU#	Function	Cylinder	Finish
800CE SMT	Single Cylinder	SmartKey Security	LO3/11P/15/26
802CE	Dummy		LO3/11P/15
814CE	Handle Only		15
815CE	Handleset with Hancock		15

Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
55.6mm	139.7mm	246.1mm	469.9mm



814 AUH

Austin


SKU#	Function
800AUH SMT	Single Cylinder
802AUH	Dummy

Handle Only





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
80mm	140mm	246mm	468mm

Cylinder	Finish
SmartKey Security	11P/15
	11P/15
	11P/15

General Information

Avalon

TUBULAR

D

461mm

TRADITIONAL



|¢|

140mm

214mm

Dimensions

Α

73mm

General Information

CS

Tubular



SKU#FunctionCylinderFinish800AVH SMTSingle CylinderSmartKey Security11P/15802AVHDummy11P/15814 AVHHandle Only11P/15

Hawthorne






SKU#	Function
800HE SMT	Single Cylinder
802 HE	Dummy
814 HE	Handle Only





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
73mm	140mm	214mm	443mm

Cylinder	Finish
SmartKey Security	11P/15
	11P/15
	11P/15

General Information

Prague

TUBULAR

D

246.1mm

469.9mm

TRADITIONAL



Ħ**Ş**

139.7mm

Dimensions

55.6mm

General Information







SKU#	Function	Cylinder	Finish
818PGH SMT	Single Cylinder	SmartKey Security	11P/15/26/514
819PGH	Dummy		11P/15/26/514
814PGH	Handle Only		11P/15/26/514








SKU#	Function
818PVH SMT	Single Cylinder
819PVH	Dummy
814PVH	Handle Only

Electronics

Kwikset.



Dimensions





Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Dim. (E)	Dim. (F)
67.38mm	139.7mm	213.52mm through 246.06mm	455.61mm	70.64mm	55.56mm

Cylinder	Finish
SmartKey Security	4/15/514, 514/4
	4/15/514, 514/4
	15/514

Tubular

General Information




San Clemente

TUBULAR

TRADITIONAL

General Information



Signature Series

Dimensions

Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
67mm	140mm	214mm through 246mm	455mm

SKU#	Function	Cylinder	Finish
818SCE SMT	Single Cylinder	SmartKey Security	4/11P/15/26/26D/514
819SCE	Dummy		4/11P/15/26/26D/514
814SCE	Handle Only		11P/15/26/514
815SCE	Handle with Halifax Lever		11P/15/26/514



Tavaris






SKU#	Function
800TVH SMT	Single Cylinder
802TVH	Dummy
814TVH	Handle Only





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
64mm	140mm	214mm	457mm

Cylinder	Finish
SmartKey Security	11P/15/26/26D/514
	11P/15/26/26D/514
	11P/15/26/514

General Information

Vancouver

TUBULAR

TRADITIONAL

General Information


Electronics







SKU#	Function	Cylinder	Finish
800VNH SMT	Single Cylinder	SmartKey Security	11P/15/26/514
802VNH	Dummy		11P/15/26/514



Signature Series

Dimensions

Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
67mm	140mm	218mm through 246mm	456mm



Prescott






SKU#	Function
818PTH SMT	Single Cylinder
819PTH	Dummy
814PTH	Handle Only
815PTH	Handleset with Tustin
815PTH	Handleset with Hancock





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
70.6mm	139.7mm	213.6mm	450.1mm

Cylinder	Finish
SmartKey Security	LO3/11P/15/514
	LO3/11P/15/514
	LO3/11P/15/514
	LO3/11P/15
	LO3/11P/15

General Information



HANDLESETS INTERIOR PACKS

HANDLESETS INTERIOR PACKS

10

INTERIOR PACKS FOR TRADITIONAL 800/802 HANDLESETS

Model	Function	Series			
		Signature Lever & Laurel	Signature Knob	Security Lever	Security Knob
966	Single Cylinder	\$81.00	\$67.20	\$72.90	\$59.00
968	Dummy	\$67.20	\$53.40		

Handleset Interio	or Pack Finish Options	3	L03	4	5	11P	15	26	26D	514	Qty
Kwikset	Halifax Lever					•	•	•	•	•	4
SIGNATURE SERIES	Hancock Knob	•				•	•	•	•	•	4
	Katella Lever						•			•	4
	Laurel Knob					•	•	•		•	4
	Lisbon Lever					•	•	•		•	4
	Milan Lever					•	•	•	•	•	4
	Perth Lever						•			•	4
	Pismo Knob					•	•	•	•	•	4
	Sedona Lever			•			•			•	4
	Singapore Lever					•	•	•		•	4
	Trafford Lever					•	•			•	4
	Tustin Lever	•				•	•	•	•	•	4
Kwikset	Aliso Knob						0				4
occurry ocres	Balboa Lever					0	0	0	0	0	4
	Breton Lever						0	0		0	4
	Casey Lever						0	0		0	4
	Cove Knob					0	0			0	4
	Delta Lever					0	0	0	0		4
	Dorian Lever					0	0				4
	Henley Lever						0			0	4
	Ladera Lever						0	0	0	0	4
	Polo Knob				0	0	0	0	0		4
	Tylo Knob	0			0		0	0	0		4

SECTIONAL INTERIOR PACKS FOR LOW PROFILE 818/819 HANDLESETS

		Signature Lever	Signature Knob	Security Lever	Security Knob
				•	Security KIIOD
971	Single Cylinder	\$81.00	\$67.20	\$72.90	
973	Dummy	\$67.20	\$53.40		

	LENOI PACK FINISH OPLIONS	5	LUS	4	5	IIP	15	20	200	514	Gity
Kwikset	Arroyo Knob						•	•		•	4
SIGNATURE SERIES	Halifax Lever			•**		•	•	•	•	•	4
	Halifax RCT Lever						•	•		•	4
	Hancock Knob					0	0			•	4
	Katella Lever						•			•	4
	Lisbon Lever					•	•	•		•	4
	Milan Lever					•	•	•	•	•	4
	Perth Lever						•			•	4
	Pismo Knob			•		•	•	•	•	•	4
	Sedona Lever			•			•			•	4
	Singapore Lever*			•		•	•	•		•	4
	Trafford Lever					•	•			•	4
	Tripoli Lever						•	•		•	4
	Tustin Lever	•				•	•			•	4
Kwikset	Breton Lever						0	0		0	4
Security Series	Casey Lever*						0	0		0	4

*Available in SQT only

**Not available in RCT trim

Note: Square (SQT) or Round (RDT) rose options available

 \bigcirc Only available in Single Cyl Function Only



49



FULL SQUARE INTERIOR PACKS FOR LOW PROFILE 818/819 HANDLESETS

						Series			
	S	ignature	Lever	Signat	ure Knol	b Se	curity L	ever	Security Knob
		\$92.3	30						
		\$78.5	50						
	L03	5	11P	15	26	26D	514	Qty	
			•	•	•		•	4	

TRADITIONAL

Tustin

TUSTIN SATIN CHROME






SKU#	Function
720TNL	Hall/Closet
730TNL	Bed/Bath
740TNL	Entry
740TNL	SMT Entry
788TNL	Half Dummy

Kwikset.



Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
145mm	54mm	70mm	19mm

Cylinder	Finish
	3/11P/15/26/26D/514
	3/11P/15/26/26D/514
	11P/15/26/26D
SmartKey Security	3/11P/15/26/26D/514
	3/11P/15/26/26D/514

Tubular

General Information



Sedona

TUBULAR

TRADITIONAL

Trafford

General Informatio

 SMARTKEY	
CECUDITY	

Dim. (A)	Dim. (B)	Dim. (C)	B (Keyed)	C (Keyed)
67.6mm	108mm	64.3mm	108.7mm	58.7mm

Signature Series

Dimensions



SMARTKEY Security...


SKU#	Function	Cylinder	Finish
720SEL	Hall/Closet		4/15/514
730SEL	Bed/Bath		4/15/514
740SEL	SMT Entry	SmartKey Security	4/15/514
788SEL	Half Dummy		4/15/514

SKU#	Function
720TDL	Hall/Closet
730TDL	Bed/Bath
740TDL	SMT Entry
788TDL	Half Dummy





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
67.6mm	105.7mm	65.8mm	65mm

Cylinder	Finish
	11P/15/514
	11P/15/514
SmartKey Security	11P/15/514
	11P/15/514

Electronics

TUBULAR

TRADITIONAL



Electronics


Katella

Dimensions

67.6mm

Milan





62.7mm

65mm

108mm

Signature Series



SMARTKEY Security...

_				
1	SKU#	Function	Cylinder	Finish
	720KAL	Hall/Closet		15/514
	730KAL	Bed/Bath		15/514
	740KAL	SMT Entry	SmartKey Security	15/514
	788KAL	Half Dummy		15/514


SKU#	Function	Cylinder	Finish
720MIL	Hall/Closet		11P/15/26/26D/514
720MIL	Hall/Closet UL (20 Min FD)		15/26/26D/514
730MIL	Bed/Bath		11P/15/26/26D/514
740MIL SMT	Entry	SmartKey Security	11P/15/26/26D/514
788MIL	Half Dummy		11P/15/26/26D/514


NOTE: Can be ordered with (RDT) Round Rose or (SQT) Square Rose option. Example - 720MIL SQT 11P

Kwikset.



Dimensions





Design	Dim. (A)	Dim. (B)	Dim. (C)
Milan (exterior)	106mm	60mm	67mm
Milan (interior)	106mm	68mm	67mm

General Information

Perth


TUBULAR

TRADITIONAL

Tripoli

General Information





Signature Series

Dimensions



Tubular



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
67.6mm	108mm	62.7mm	65mm



SKU#	Function	Cylinder	Finish
720PHL	Hall/Closet		15/514
730PHL	Bed/Bath		15/514
740PHL SMT	Entry	SmartKey Security	15/514
788PHL	Half Dummy		15/514

SKU#	Function
720TPL MDT	Hall/Closet
730TPL MDT	Bed/Bath
740TPL MDT SMT	Entry
788TDL	Half Dummy


NOTE: MDT=Midtown

Parts

Kwikset.



Dimensions



Design	Dim. (A)	Dim. (B)	Dim. (C)	
Tripoli	68.3mm	108mm	65.5mm	

Cylinder	Finish
	15/26/514
	15/26/514
SmartKey Security	15/26/514
	15/26/514

Tubular

General Information

TUBULAR

TRADITIONAL




Dimensions

Halifax (exterior) Halifax (interior)

Halifax





108mm

108mm

60mm

77mm

67mm

67mm

Halifax -San Clemente Trim





SKU#	Function	Cylinder	Finish
720HFL	Hall/Closet		4/11P/15/26/26D/514/514X26
720HFL	Hall/Closet UL (20 Min FD)		15/26/26D/514
725HFL*	Hall/Closet UL (3 Hr.)		15/26/26D/514
730HFL	Bed/Bath		4/11P/15/26/26D/514/514X26
740HFL SMT	Entry	SmartKey Security	4/11P/15/26/26D/514/514X26
745HFL SMT*	Entry UL (3 Hr.)	SmartKey Security	15/26/26D/514
788HFL	Half Dummy		4/11P/15/26/26D/514

NOTE: Can be ordered with (RDT) Round Rose or (SQT) Square Rose option. Example - 720HFL RDT 11P, *(SQT) Square Rose Only

SKU#	Function	Cylinder	Finish
720HFL RCT	Hall/Closet		15/26/514
730HFL RCT	Bed/Bath		15/26/514
740HFL RCT SMT	Entry	SmartKey Security	15/26/514
788HFL RCT	Half Dummy		15/26/514


Electronics


Kwikset




Dimensions









esign	Dim (A)	Dim (B)	B(Keyed)	Dim. (C)	Dim. (D)	Dim. (E)
fax RCT	105mm	64mm	65mm	11mm	108mm	71mm

General Information



TUBULAR

TRADITIONAL




Lisbon

Dimensions

Singapore





108mm

110mm

70mm

Signature Series



Dim. (A)	Design
68mm	Lisbon (keyed)
68mm	Lisbon (non-keyed)



SKU#	Function	Cylinder	Finish
720LSL	Hall/Closet		11P/15/26/514
730LSL	Bed/Bath		11P/15/26/514
740LSL SMT	Entry	SmartKey Security	11P/15/26/514
788LSL	Half Dummy		11P/15/26/514

NOTE: Can be ordered with (RDT) Round Rose or (SQT) Square Rose option. Example - 720LSL RDT 11P

SKU#	Function
720SAL	Hall/Closet
730SAL	Bed/Bath
740SAL SMT	Entry
788SAL	Half Dummy

*Available in SQT only


Parts

Kwikset.



Dimensions

General Information



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)	
68.3mm	107.2mm	63.5mm	57.2mm	

Cylinder	Finish
	4/11P/15/26/514
	4/11P/15/26/514
SmartKey Security	4/11P/15/26/514
	4/11P/15/26/514

Tubular

Electronics


TUBULAR



Dimensions

Prava







Dim (A)	Dim (B)	B(Keyed)	Dim. (C)	Dim. (D)	D(Keyed)
104.78mm	119.06mm	106.36mm	70.64mm	60.33mm	61.12mm

SKU#	Function	Cylinder	Finish
720PVL	Hall/Closet		4/15/514, 514/4
730PVL	Bed/Bath		4/15/514, 514/4
740PVL SMT	Entry	SmartKey Security	4/15/514, 514/4
788PVL	Half Dummy		4/15/514, 514/4







TUBULAR

Signature Series

Dimensions

Α

TRADITIONAL

Abbey

General Information



Pismo





Dim. (A)	Dim. (B)	Dim. (B) keyed
67mm	61mm	62mm



SMARTKEY Security...

SKU#	Function	Cylinder	Finish
720PSK	Hall/Closet		4/11P/15/26/514
730PSK	Bed/Bath		4/11P/15/26/514
740PSK SMT	Entry	SmartKey Security	4/11P/15/26/514
788PSK	Half Dummy		4/11P/15/26/514

NOTE: Can be ordered with (RDT) Round Rose or (SQT) Square Rose option. Example - 720PSK RDT 514


SKU#	Function	Cylinder	Finish
720A	Hall/Closet		26D
730A	Bed/Bath		26D
740A SMT	Entry	SmartKey Security	26D
745A SMT	Entry UL	SmartKey Security	26D
750A SMT	Storeroom	SmartKey Security	26D
788A	Half Dummy		26D

NOTE: Can be ordered with (RDT) Round Rose or (SQT) Square Rose option. Example - 720HFL RDT 11P, *(SQT) Square Rose Only

Kwikset



Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
67mm	70mm	50mm



Arroyo

TUBULAR

TRADITIONAL

Hancock

General Information




Parts

SKU#	Function	Cylinder	Finish
720AYK MDT	Hall/Closet		15/26/514
730AYK MDT	Bed/Bath		15/26/514
740AYK MDT SMT	Entry	SmartKey Security	15/26/514
788AYK MDT	Half Dummy		15/26/514

SKU#	Function
720A	Hall/Closet
730A	Bed/Bath
740A SMT	Entry
745A SMT	Entry UL
750A SMT	Storeroom
788A	Half Dummy







62mm

66.8mm


55.6mm

Signature Series

Kwikset.



Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
67mm	64mm	55mm

Cylinder	Finish
	26D
	26D
SmartKey Security	26D
SmartKey Security	26D
SmartKey Security	26D
	26D

General Information

Laurel

TUBULAR

TRADITIONAL

980/985


General Informatior





~~~~	SMARTKEY
	SECURITY

Dimensions



67mm

67mm

62mm

Signature Series



SMARTKEY Security...

SKU#	Function	Cylinder	Finish
720L	Hall/Closet		11P/15/26/514
730L	Bed/Bath		11P/15/26/514
740L SMT	Entry	SmartKey Security	11P/15/26/514
788L	Half Dummy		11P/15/26/514


SKU#	Function
980 SMT	Single Cylinder
982 SMT	Single Cylinder UL (3 Hr.)
985 SMT	Double Cylinder

Parts


# **Kwikset**



## Dimensions



#### Single Cylinder



#### Double Cylinder

DESIGN	Dim. (A)	Dim. (B)	Dim. (C)
980 Interior	66mm	29mm	46mm
980 Exterior	67mm	26mm	
985 Interior	67mm	26mm	
985 Exterior	67mm	26mm	

Cylinder	Finish
SmartKey Security	11P/15/514
SmartKey Security	15/514
SmartKey Security	11P/15/514

Tubular

#### TUBULAR

#### TRADITIONAL

**Downtown** 


Kwiksel

SMARTKEY Security...










Dimensions

Signature Series

Single Cylinder



780,782 Interior 45mm 64mm 24mm 780,782 Exterior 67mm 29mm 784,785 Interior 67mm 29mm 784,785 Exterior 67mm 29mm


SKU#	Function	Cylinder	Finish
780	Single Cylinder		11P/15/26/26D/514
780 SMT	Single Cylinder	SmartKey Security	11P/15/26/26D/514/11PX26
782 SMT	Single Cylinder UL (3 Hr.)	SmartKey Security	15/26D/514
785	Double Cylinder		11P/15/26/26D/514
785 SMT	Double Cylinder	SmartKey Security	11P/15/26/26D/514

SKU#	Function	Cylinder	Finish
258 SQT SMT	Single Cylinder	SmartKey Security	4/11P/15/26/26D/514
258 SQT SMT	Single Cylinder UL (20 Min FD)	SmartKey Security	514

# **Kwikset**



#### Dimensions



Single Cylinder

DESIGN	Dim. (A)	Dim. (B)	Dim. (C)
Downtown Interior	35mm	40mm	67mm
Downtown Exterior	13mm	66mm	

General Information



Uptown

#### TUBULAR

#### TRADITIONAL

Midtown

General Information


258 RDT SMT

258 RDT SMT

Kuviks et

Single Cylinder

Single Cylinder UL (20 Min FD)




Signature Series

Dimensions

SmartKey Security

SmartKey Security





4/11P/15/26/26D/514

514




SKU#	Function
258 MDT	Single Cylinder

# **Kwikset**



#### Dimensions



DESIGN	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
258 MDT Interior	36.6mm	68.3mm	42.2mm	12.7mm
258 MDT Exterior	12.7mm	68.3mm	-	-

Cylinder	Finish
	15/26/514

Halifax

158 SQT SMT

158 SQT SMT 982 SQT SMT

159 SQT SMT

Single Cylinder

Double Cylinder

Single Cylinder UL (20 Min FD)


Single Cylinder UL (3 Hr.)

## TUBULAR

## TRADITIONAL



	Kylk	39}	
	(.)		
6			
	~		



Signature Series

Dimensions

Interior

Single Cylinder

DESIGN	Dim. (A)	Dim. (B)	Dim. (C)
Halifax Interior	43mm	47mm	28mm
Halifax Exterior	63mm	63mm	

Exterior

# **San Clemente** Rectangular Deadbolt





Cylinder	Finish
 SmartKey Security	11P/15/26/26D/514/514X26
SmartKey Security	15/514
SmartKey Security	15/26/26D/514
SmartKey Security	11P/15/26/26D/514


SKU#	Function
258RCT SMT	Single Cylinder

# **Kwikset**



#### Dimensions

General Information



Design	Dim (A)	Dim (B)	Dim. (C)	Dim. (D)	Dim. (E)
Halifax RCT	90mm	70mm	14mm	13mm	37mm

Cylinder	Finish
SmartKey Security	15/26/514


Electronics

#### TUBULAR



Milan





Dimensions



Exterior Interior

Single Cylinder

DESIGN	Dim. (A)	Dim. (B)
Milan Interior	43mm	42mm
Milan Exterior	65mm	28mm

SKU#	Function	Cylinder	Finish
158 RDT SMT	Single Cylinder	SmartKey Security	11P/15/26/26D/514/514X26
158 RDT SMT	Single Cylinder UL (20 Min FD)	SmartKey Security	15/514
982 RDT SMT	Single Cylinder UL (3 Hr.)	SmartKey Security	15/26/26D/514
159 RDT SMT	Double Cylinder	SmartKey Security	11P/15/26/26D/514

General Informatio

Tubular





#### **SECURITY SERIES**

#### TUBULAR











Dakota



Henley

G

LEVERS

Amador

HANDLESETS



Delta







Breton"SQT



Casey"SQT







660

POCKET DOOR LOCKS

Cove

DEADBOLTS

KNOBS





Balboa







Polo

660 RDT

Round Pocket door lock

Square Pocket door lock

Parts



Henley

Ladera"RDT

Ladera"SQT

# Kwikset.

# CONTEMPORARY

# Electronics



Tylo



Aliso



660 SQT



Key Control Deadbolt



Key Control Deadbolt SQT




#### HANDLESETS

#### TUBULAR

Dakota







Security Series

## Amador





SKU#	Function	Cylinder	Finish
687DA	Single Cylinder		11/15
687DA SMT	Single Cylinder	SmartKey Security	5/11P/15/26D/514
898DA	Handle Only		11P/15


SKU#	Function	Cylinder	Finish
687AMD SMT	Single Cylinder	SmartKey Security	15/26/26D/514
898AMD	Handle Only		15/26/514

NOTE: All 687 handlesets are compatible with the 966 interior packs found on page 51.






Dimensions



- | - A



Side View

Front View

Dimensions	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
Side View	14.29mm	103.19mm	416.72mm	246.06mm
Front View	70.64mm	70.64mm	443.71mm	
				[
Dimensions	Dim. (E)	Dim. (F)	Dim. (G)	
Side View	75.41mm	10.99mm	53.18mm	




#### HANDLESETS

Security Series

Dimensions

# **Belleview**





Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
54.9mm	139.7mm	213.6mm	458.7mm







SKU#	Function	Cylinder	Finish
687BW	Single Cylinder		15
687BW SMT	Single Cylinder	SmartKey Security	15/26D/514


NOTE: All 687 handlesets are compatible with the 966 interior packs found on page 51.

SKU#	Function
687HYH SMT	Single Cylinder
687HYH	Handle Only





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)
105.7mm	139.7mm	213.6mm	447.8mm

Cylinder	Finish
SmartKey Security	15/514
	11P/15/514

General Information

## LEVERS


## TUBULAR



# Dorian

# Delta





Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
131mm	65mm	68mm


SKU#	Function	Cylinder	Finish
200DL	Hall/Closet		11P/15/26/26D
200DL	Hall/Closet UL (20 Min FD)		15/26D
300DL	Bed/Bath		11P/15/26/26D
405DL	Keyed Lever		11P/15/26D
405DL SMT	Keyed Lever	SmartKey Security	11P/15/26/26D
409DL SMT	Keyed Lever UL (90Min.)	SmartKey Security	15/26D
412DL SMT	Storeroom Keyed Lever UL	SmartKey Security	26D
420DL	Hall/Closet UL (90 Min.)		15/26D
462DL	Storeroom Keyed Lever		26/26D
462DL SMT	Storeroom Keyed Lever	SmartKey Security	26/26D
488DL	Half Dummy		11P/15/26/26D

SKU# F	unction
200DNL Ha	all/Closet
300DNL Be	ed/Bath
405DNL Ke	eyed Lever
405DNL SMT Ke	eyed Lever
420DNL Ha	all/Closet UL (3 Hr.)
488DNL Ha	alf Dummy





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
140mm	65mm	65mm

Cylinder	Finish
	11P/15
	11P/15
	11P/15
SmartKey Security	11P/15
	15
	11P/15

General Information



### TUBULAR




Dimensions

# **Breton RDT**

## **Breton SQT**







Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	101.6mm	62mm	62.7mm

SKU#	Function	Cylinder	Finish
200BRNL RDT	Hall/Closet		15/26/514
300BRNL RDT	Bed/Bath		15/26/514
405BRNL RDT SMT	Keyed Lever	SmartKey Security	15/26/514
488BRNL RDT	Half Dummy		15/26/514


SKU#	Function
200BRNL SQT	Hall/Closet
300BRNL SQT	Bed/Bath
405BRNL SQT SMT	Keyed Lever
488BRNL SQT	Half Dummy





#### Dimensions

General Information



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	101.6mm	62mm	62.7mm

Cylinder	Finish
	15/26/514
	15/26/514
SmartKey Security	15/26/514
	15/26/514

Electronics



### TUBULAR




Dimensions

# Casey RDT

# **Casey SQT**







Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	104.1mm	66mm	62mm


SKU#	Function	Cylinder	Finish
200CSL RDT	Hall/Closet		15/26/514
200CSL RDT	Hall/Closet UL (20 Min FD)		15/26/514
300CSL RDT	Bed/Bath		15/26/514
405CSL RDT SMT	Keyed Lever	SmartKey Security	15/26/514
405CSL RDT SMT	Keyed Lever (20 min. FD)	SmartKey Security	15
488CSL RDT	Half Dummy		15/26/514

SKU#	Function	Cylinder	Finish
200CSL SQT	Hall/Closet		15/26/514
200CSL SQT	Hall/Closet UL (20 Min FD)		15/26/514
300CSL SQT	Bed/Bath		15/26/514
400CSL SQT SMT	Keyed Lever	SmartKey Security	15/26/514
488CSL SQT	Half Dummy		15/26/514





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	104.1mm	66mm	62mm

General Information



## TUBULAR




# Ladera RDT

# Henley

Dimensions







Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
67mm	104mm	65mm	66mm

SKU#	Function	Cylinder	Finish
200HYL	Hall/Closet		15
300HYL	Bed/Bath		15
405HYL SMT	Keyed Lever	SmartKey Security	15
488HYL	Half Dummy		15

SKU#	Function
200LRL RDT	Hall/Closet
300LRL RDT	Bed/Bath
405LRL RDT	Keyed Lever
405LRL RDT SMT	Keyed Lever
488LRL RDT	Half Dummy

Electronics


General Informatior





#### Dimensions

General Information



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	106.4mm	47.8mm	62mm

Cylinder	Finish
	15/26/26D/514
	15/26/26D/514
	15/26D
SmartKey Security	15/26/26D/514
	15/26/26D/514

Tubular

Electronics



### TUBULAR




Dimensions

# Ladera SQT

## Balboa







Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.8mm	106.4mm	47.8mm	62mm


SKU#	Function	Cylinder	Finish
200LRL SQT	Hall/Closet		15/26/26D/514
300LRL SQT	Bed/Bath		15/26/26D/514
405LRL SQT SMT	Keyed Lever	SmartKey Security	15/26/26D/514
488LRL SQT	Half Dummy		15/26/26D/514

SKU#	Function	Cylinder	Finish
200BL	Hall/Closet		3/5/11P/15/26/26D/514
200BL	Hall/Closet UL (20 Min FD)		15
300BL	Bed/Bath		3/5/11P/15/26/26D/514
405BL	Keyed Lever		11P/15/26D
405BL SMT	Keyed Lever	SmartKey Security	3/5/11P/15/26/26D/514
488BL	Half Dummy		3/5/11P/15/26/26D/514





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	C (Keyed)
66.7mm	107.2mm	49.2mm	61.1mm

General Information




Tylo

## **KNOBS**

## TUBULAR

Polo





Security Series

Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
65mm	60mm	48mm


SKU#	Function	Cylinder	Finish
200T	Hall/Closet		3/5/15/26/26D
300T	Bed/Bath		3/5/15/26/26D
400T	Entry		3/5/15/26/26D
400T SMT	Entry	SmartKey Security	3/5/15/26/26D
488T	Half Dummy		3/5/15/26/26D

SKU#	Function
200P	Hall/Closet
300P	Bed/Bath
400P	Entry
400P SMT	Entry
450P SMT	Storeroom
488P	Half Dummy





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
67mm	69mm	48mm

Cylinder	Finish
	5/11P/15/26/26D
	5/11P/15/26/26D
	5/11P/15/26D
SmartKey Security	5/11P/15/26/26D
SmartKey Security	26D
	5/11P/15/26/26D

General Information

## **KNOBS**

## TUBULAR




Dimensions

# Aliso









Dim. (A)	Dim. (B)	Dim. (C)
67mm	64mm	56mm

67mm	64mm	56mm
------	------	------

	SKU#	Function	Cylinder	Finish
1	200CV	Hall/Closet		11P/15/514
	300CV	Bed/Bath		11P/15/514
	400CV	Entry		11P/15/514
	400CV SMT	Entry	SmartKey Security	11P/15/514
	488CV	Half Dummy		11P/15/514


SKU#	Function
200AO	Hall/Closet
300AO	Bed/Bath
400AO SMT	Entry
488AO	Half Dummy

Electronics





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	
67mm	70mm	61mm	

Cylinder	Finish
	15
	15
SmartKey Security	15
	15



#### DEADBOLTS


## TUBULAR

660 RDT



# 660/665





# Stealfwrit

DESIGN	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Dim. (E)	Dim. (F)
660 Interior	62mm	27mm	64mm	21mm	8mm	34mm
660 Exterior	62mm	27mm	64mm	27mm		
665 Interior	62mm	27mm	64mm			
665 Exterior	62mm	27mm	64mm			

Double Cylinder


SKU#	Function	Cylinder	Finish
660	Single Cylinder		3/5/11P/15/26/26D/514
660 SMT	Single Cylinder SMT	SmartKey Security	3/5/11P/15/26/26D/514
660 SMT	Single Cylinder SMT UL(20 Min FD)	SmartKey Security	15/26/26D/514
665	Double Cylinder	SmartKey Security	3/5/11P/15/26D
665 SMT	Double Cylinder SMT	SmartKey Security	3/5/11P/15/26/26D/514


SKU#	Function
660 RDT	Single Cylinder SMT





#### Dimensions





Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Dim. (E)
62mm	27mm	64mm	77mm	44mm

Cylinder	Finish
SmartKey Security	15/26/26D/514


### DEADBOLTS

## TRADITIONAL



# 660 SQT





Dim. (B) Dim. (C) Dim. (D)

64mm

77mm

44mm

Dimensions

Dim. (A)

62mm

27mm







817 SMT

SK11#	Function

Key Control Deadbolt UL (3 H


Electronics

SKU#	Function	Cylinder	Finish
660 SQT	Single Cylinder SMT	SmartKey Security	15/26/26D/514
660 SQT	Single Cylinder SMT UL(20 Min. FD)	SmartKey Security	15/514
663 SQT	Single Sided		15/26/26D/514
663 SQT	Single Sided UL (3 Hr.)		15/26/26D/514





#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Dim. (E)	Dim. (F)
76.2mm	71.4mm	13.1mm	65.1mm	8.7mm	23mm

	Cylinder	Finish
Hr.)	SmartKey Security	11P/15/26D/514



#### TUBULAR

#### TUBULAR



## Key Control Deadbolt SQT

## Round Pocket Door Lock





MARTKEY	

|--|--|

Dimensions






SKU#	Function	Cylinder	Finish	SKU#	Functior
817 SMT SQT UL	Key Control Deadbolt UL (3 Hr.)	SmartKey Security	15/514	334	Passage
				335	Privacy


General Informatio





#### Dimensions





Design	Dim (A)	Dim. (B)	Dim (C)
Round	63mm	12mm	40mm

Cylinder	Finish
	11P/15/26D/514
	11P/15/26D/514

General Information

## POCKET DOOR LOCK




Dimensions

А

Square Pock Door lock





Design	Dim (A)	Dim. (B)	Dim (C)
Round	63mm	12mm	35mm

SKU#	Function	Cylinder	Finish
334SQT	Passage		11P/15/26/26D/514
335SQT	Privacy		11P/15/26/26D/514





105

# **KEY CONTROL** The Smart Alternative to Master Keying




## **KEY CONTROL**

# Kwikset


# **MASTER KEYING** WEAKENS THE SECURITY OF YOUR HOME

Traditional residential locks have a cylinder with top and bottom pins of different sizes. When a user inserts the working key in the cylinder, the pins are raised to create a shear line.




Alternatively, when another key with a different key cut is introduced, the pins are pushed up, but do not create the shear line and therefore the cylinder cannot be engaged.

So... what is different in master keying systems? To allow for more than one key to open a lock, lock specialists added another set of pins (called master pins) into the cylinder. Thus, the lock can be engaged according to multiple shear lines.



In fact, since every pin location has 2 shear lines and there are 5 pin locations in this cylinder, there are:



## THE SMART ALTERNATIVE TO MASTER KEYING

Re-keying & managing a traditional master key system is labor intensive, time consuming & costly. With the first & only two cylinder Key Control Deadbolt, either cylinder can be re-keyed in seconds, without removing the lock from the door.

#### **Key Control Deadbolt**

- master key system
- New proprietary keyway adds security -Manager Cylinder
- not in use to avoid tenant confusion

- employee turnover





## THE SMART ALTERNATIVE TO MASTER KEYING

#### BOTH CYLINDERS FEATURE SMARTKEY SECURITY

(1) Concealed Key Control Cylinder has a unique patented keyway to provide increased security. Simply rotate the cylinder cap to expose the cylinder for use.

**2** User Cylinder utilizes the traditional Kwikset keyway and keys.

3 Gear Assembly enables both cylinders to lock or retract the deadbolt latch.






Cylinder	2 SmartKey® cylinders: 1 standard Kwikset for users, 1 unique patented keyway for 1-Key Control
Faceplate	1" x 2-1/4"
Strike	1 1/4" x 3-5/8"
Bolt	1" throw
ANSI/BHMA	A156.5 Grade 2
ADA	Interior turn piece meets 4.13.9 ADA
UL	Meets UL 3 hour fire rating for UL function. UL Ref# R10923

#### FUNCTIONS:



816 Key Control Deadbolt 817 UL Key Control Deadbolt Deadbolt operated by key outside and thumb turn inside.

#### **DIMENSIONS:**



#### FINISHES:



SKU #	Description	Function	Cylinder	Keying	Units/ Carton	Finish			
	BOX PACK								
98160-001	816 3 SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	3			
98160-005	816 5 SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	5			
98160-004	816 11P SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	11P			
98170-003	817 UL 11P SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	11P			
98160-002	816 15 SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	15			
98170-004	817 UL 15 SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	15			
98160-003	816 26D SMT RCAL RCS	Single Cylinder	SmartKey Security	KD	12	26D			
98170-005	817 UL 26D SMT RCAL RCS	Single Cylinder	SmartKey	KD	12	26D			



**Fubular** 

ā

Gel

Шe



## **CLASSIC SERIES**

TUBULAR



eral Information

Gen



0









Dakota

Farmington

Branton

6

LEVERS







Westley

Daylon

KNOBS



Tylo





Polo

DEADBOLTS





660

665



# **Kwikset**









Cove



Eclipse



Belai

Dakota

## HANDLESETS

Unit: m/m

## TUBULAR



											K		
												Uni	t: m/m
A	В	С	D	E	F	G	н	I	J	к	L	М	N
60	69.5	74	57	25.4	14	35-40	62	47	64.7	214	65	25.4	13

Dimensions

Farmington






Δ	B	C	П
60	64.4	71	57

SKU#	Function	Cylinder	Finish
689DAXT	Double Cylinder		5
689DAXT	Double Cylinder		15
689DAXP	Double Cylinder		26D

SKU#	Function	Cylinder	Finish
689FNXP	Double Cylinder		15
689FNXT	Double Cylinder		5
687FNXP	Single Cylinder		5
687FNXT	Single Cylinder		5



#### Dimensions



Unit: I	m/m
---------	-----

E	F	G	н	I	J	к	L	М	N
25.4	14.5	35-45	62	47	64.7	214	65	25.4	13


Tubular

Electronics

**Branton** 

General Information

*		



Westley




SKU#	Function	Cylinder	Finish
687BRNHXWTL	Single Cylinder		15
687BRNHXWTL	Single Cylinder		26D
689BRNHXWTL	Double Cylinder		15
689BRNHXWTL	Double Cylinder		26D

SKU#	Function	Cylinder	Finish
200WTL	Passage		15/26D
300WTL	Bed/Bath		15/26D
405WTL	Entry		15/26D
450WTL	Vestibule		15/26D



#### Dimensions



Dim. (A)	Dim. (B)	Dim. (C)
65mm	127mm	59mm

Electronics

Queen

## LEVER


## TUBULAR

Daylon

General Information

Function

Dimensions






DESIGN	А	В	С
	105mm	66mm	65mm

SKU#	Function	Cylinder	Finish	SKU#
300QN	Bed/Bath		5/15	300DAL
405QN	Half Dummy		5/15	405DAL

SKU#	Function
300DAL	Bed/Bath
405DAL	Half Dummy



#### Dimensions



DESIGN	A	В	С
	103.8mm	59.9mm	65.3mm

Cylinder	Finish
	15/514
	15/514

Electronics


Rimini

## LEVER

## TUBULAR

Dorian

General Information





Dim. (A)	Dim. (B)	Dim. (C)
65mm	105mm	59mm

SKU#	Function	Cylinder	Finish
300RML	Bed/Bath		15/26D
405RML	Keyed Lever		15/26D
405RML	Vestibule		15/26D

Dimensions


SKU#	Function	Cylinder	Finish
300DNL	Bed/Bath		3/5/15
405DNL	Half Dummy		3/5/15



#### Dimensions

General Information





Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (C) (Keyed)
Dorian	67mm	95mm	54mm	68mm

Delta

## LEVER


## TUBULAR

Polo

General Information

1








Delta 116mm 60mm 35-45mm 60mm 65mm	Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
	Delta	116mm	60mm	35-45mm	60mm	65mm

SKU# Function	on Cylinder	Finish	SKU#	Function	Cylinder	Finish
		3/5/15/26D	 3000	Bed/Bath		3/5/15/26D
			300P	Ded/ Datii		
У		3/5/15/26/26D	400P	Entry		3/5/11P/15/26/26D



#### Dimensions



Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
Polo	63mm	51mm	74mm	51mm	67mm


Tylo

## KNOB

## TUBULAR

Cove

General Information



Dimensions



Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
Tylo	59mm	47mm	66mm	47mm	67mm


SKU#	Function	Cylinder	Finish	SKU#	Function	Cylinder	Fini
300T	Bed/Bath		5/15/26/26D	300C	Bed/Bath		3/5/
400T	Entry		3/5/15/26/26D	400C	Entry		3/5/1



#### Dimensions



Electronics



Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
Cove	59mm	56mm	69mm	56mm	67mm

## KNOB


## TUBULAR

**Belair** 

General Information

# Eclipse

Dimensions






Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
Eclipse	65mm	54mm	77mm	54mm	67mm

SKU#	Function	Cylinder	Finish	SKU#	Function	Cylinder	Finish
300E	Bed/Bath		3/5/15/26D	300B	Bed/Bath		26
400E	Entry		3/5/11/15/26/26D	400B	Entry		5/26



#### Dimensions

General Information



Design	Dim. (A)	Dim. (B)	Dim. (C)	Dim (D)	Dim (E)
Belair	60mm	47mm	64mm	47mm	67mm

 $\odot$ 

 $\oplus$ 


660/650

## DEADBOLT


General Information



#### Dimensions







Exterior Interior

#### Double Cylinder

DESIGN	Dim. (A)	Dim. (B)	Dim. (C)	Dim. (D)	Dim. (E)	Dim. (F)
660 Interior	62mm	27mm	64mm	21mm	8mm	34mm
660 Exterior	62mm	27mm	64mm	27mm		
665 Interior	62mm	27mm	64mm			
665 Exterior	62mm	27mm	64mm			

SKU#	Function	Cylinder	Finish
660	Single Cylinder		3/5/11/15/26/26D
665	Double Cylinder		3/5/11/15/26/26D



Tubular

# PARTS





### PARTS

# **Pocket Door Locks**

MOE	EL	FUNCTION	AVAILABLE FINISH G						QTY.			
			3	LO3	5	10B	15	15A	26D	32	3x32	
Round	334	Passage	•		•	•	•	•	•	•	•	12
Round	335	Privacy	•		•	•	•	•	٠	•	•	12
Notch	332	Passage	•		•							12
Notch	333	Privacy	•		•						•	12
MOE	EL					AVAILA	ABLE FIN	ISH				
				US5		US15	ι	JS26	US	S26D	51	14
(D	JS3	Entry				•		•		•	•	
Ø	JS3	Privacy				•		•		•	•	,
00	JS3	Passage				•		•		•	•	,
10	JS3	Communicating				•		•		•	•	,
	JS5	Passage				•		•		•	•	
10	JS5	Privacy				•		•		•	•	,

# **Pocket Door Locks**

MOI	DEL	FUNCTION		A	VAILABLE FINIS	SН	
			US5	US15	US26	US26D	514
00	JS5	Passage		•	•	•	•
10	JS5	Communicating		•	•	•	•
	JS6	Entry		•	•	•	•
	JS6	Privacy		•	•	•	•
<b>D</b> () ()	Finger Pull- Round			•	•	•	•
	Finger Pull- Round			•	•	•	•

# **Kwikset**

General Information

Electronics

Tubular

# General Information

138 INSTALLATION KIT DF

Trim	Instal	lation	Aids
------	--------	--------	------

TRIMS	MODEL	DESCRIPTION	DIMENSIONS	A۷	AILABLE	E FINISH	ES	PKG	QTY.
BOX PACK				3	5	15	26D		
00	263	Large Modernization Kit	89mm x 267mm	•				СР	5
	288	Small Modernization Kit	100mm x 107mm	•				СР	5
	293	Round Rosette	97mm	•	•	•	•	СР	4

138 INSTALLATION KIT				
	PART #	DESCRIPTION	QTY PER PACK	MASTER PK QTY
ØFerr	91380-001	138 Installation Kit	1	1
	89900-001	Jig with Wood Arm Guide	1	1
	89901-001	Wood Door In-Line Guide Arm	1	1
	89902-001	Metal Door In-Line Guide Arm	1	1

RILL BITS				
	PART #	DESCRIPTION	QTY PER PACK	MASTER PK QTY
	89903-001	25mm Spade Bit	1	3
	89904-001	54mm Multi Spur Bit	1	3
	89905-001	38mm Multi Spur Bit	1	3
	89906-001	54mm Hole Saw Bit	1	3
	89907-001	Hole Saw Mandrel	1	1
	89908-001	Snap Rings	6	3

# **Trim Installation Aids**

138 INSTALLATION KIT MORTISE TOOLS					
	PART #	DESCRIPTION	QTY PER PACK	MASTER PK QTY	
	89909-001	Full Lip Strike Mortise Tool	1	3	
	89910-001	Full Lip Round Corner Strike Blades	3	3	
	89911-001	Full Lip Square Corner Strike Blades	3	3	
	89912-001	Latch Mortise Tool	1	3	
	89913-001	Latch Round Corner Blades	3	3	
	89914-001	Latch Square Corner Blades	3	3	
	89915-001	Strike Mortise Tool	1	1	
	89916-001	Strike Square Corner Blades	3	3	
	89917-001	Strike Round Corner Blades	3	3	

138 INSTALLATION KIT MISCELLANEOUS PARTS					
	PART #	DESCRIPTION	QTY PER PACK	MASTER PK QTY	
8	39918-001	Quick Bit Changer	1	1	
8	39919-001	Strike Locater	1	1	
8	9920-001	Strike Locater Tip	3	1	
8	39921-001	Kit Box	1	1	
8	39922-001	Jig Bushing	3	1	
8	39923-001	38mm Adapter Ring	1	1	
8	39924-001	663 Boring Depth Stop	1	1	
8	39925-001	Boring Template	1	1	
8	39926-001	3mm Hex Wrench	1	1	

#### WOOD DOOR INSTALLATION KIT



DESCRIPTI

PART #

# **Kwikset**

ION	QTY PER PACK	MASTER PK QTY
/ood Door Installation Kit	1	3

General Information

## PARTS

Keys

KEY BLANKS			
KWIKSET KEY BLANKS	MODEL	FUNCTION	QTY PER PACK
	81063-009	K Bow, Nickel Plated, 5 Pin	50
	81208-001	K Bow, Nickel Plated, 6 Pin	50
	81209-001	Solid Bow Builders Key - Brass Color	50
	81210-001	Solid Bow Masters Key	50
	81693-001	Do Not Duplicate Key	50
	83559-008	Large Bow, Bulider Key, 6 Pin	50
	81695-001	Large Bow, Bulider Key, 5 Pin	50
-P	82245-001	Baldwin K-Key	50
CONTROL KEY BLANKS (REKEYING TOOLS)			
	87615-001	Kwikset 6-Pin Knobs and Deadbolts	50
	88122-001	Kwikset 6-Pin Knobs and Deadbolts, MK	50
	88485-005	Kwikset Knobs and Deadbolts, Schlage® C	12
	81804-001	Kwikset Key-In Lever, Standard "TC"	50
	89991-001	Kwikset, Schlage [®] C	50
EMERGENCY KEY			
	81087-001	For all Privacy Function Locksets	100
DEPTH KEY			
	88596-001	Depth Key Ring (Order in full pack quantities only)	5

CUT KEYS			
EXTRA CUT KEYS KWIKSET 6 PIN	RANDOM CUT	SPECIFY CUT*	DESCRIPTION
	81208-002	90009-074	Regular Key
	81389-001		Set of Keys/Ringed
	81211-001		Set of Keys with Control Key
	81210-002	90009-066	Master Key
et al anti-	81209-002	90009-069	Builder Key - Brass Color
		90009-082	Control Key
EXTRA CUT KEYS KWIKSET 5 PIN	RANDOM CUT	SPECIFY CUT	DESCRIPTION
	81063-005		Regular Key
1972 - 198 1972 - 1975 1971 - 1977	81057-002		Set of Keys/Ringed
	85991-001	90009-003	Master Key
Contraction of the second s	82205-001	90009-004	Builder Key

***NOTE:** Must specify desired key cut when placing order.

# **Keying Kits - Pin & Tumbler**

KEYING CHARGES & S	UPPLIES					
COMPETITIVE KEYING PROGRAM - REPLACEMENT PARTS	MODEL	FUNCTION	QTY.			
	8486-75	780/785 Deadbolt, Schlage® keyway less cylinder cover (3, 26)	6			
	8486-76	780/785 Deadbolt, Weiser keyway less cylinder cover (3, 26)	6			
	8497-75	Kwikset Signature Series Knob, Schlage® keyway less cylinder cover (3, 26)	6			
	8497-76	Kwikset Signature Series Knob, Weiser keyway less cylinder cover (3, 26)	6			
	81354	Kwikset Signature Series Laurel Knob, Weiser cylinder (3, 26D)	6			
	81355	Kwikset Signature Series Laurel Knob, Schlage® cylinder (3, 26D)	6			
	8501-01	Kwikset Signature Series Knob cylinder cover - Hancock (15, 15A, 26, 26D, 3, 5, L03,11P, 690)	12			
	8501-11	Kwikset Signature Series Knob cylinder cover - Abbey (3, 5, 11P)	12			
	8501-15	Kwikset Signature Series Knob cylinder cover - Circa (15, 15A, 26D, 3, 5, 11P)	12			
	81236 980/985 Deadbolt double cylinder cover - interior (15, 15A, 26, 26D, 3, 5, L03,11P)		12			
	81327 780/785 Deadbolt single cylinder cover - exterior (15, 15A, 26, 26D, 3, 5, L03,11P)		12			
	81328	780/785 Deadbolt double cylinder cover - interior (3, 5, 11P)	12			
	87748-001	Knob plug - Kwikset 6 pin brass finish	20			
	87807-001	Deadbolt plug - Kwikset Signature Series 6-pin brass finish	20			
	87807-002	Deadbolt plug - Kwikset Signature Series 6-pin nickel finish	20			
	88485-005	Rekeying Tool - Schlage®	12			
		in full pack quantities only. Must specify finish in order. stitive Keying Program not compatible with SmartKey® Product.				
KEYING KITS						
	92360-001	236 Builder Pin Kit - small	1			
	92720-001	272 Pin Kit	1			
KEYING SERVICE						
	Master Keying	9	МК			
	Builder Keying (Protecto)					
	Grand Master	GMK				
	Builder Maste	PMK				
	Cross Keying,	/Maison Keying	MAIS			
	Sequential Co	onstruction Master Keying	SEQ			
	NOTE: Homeowner's Key voids Builder's Key SmartKey® product cannot be specialty keyed.					

# **Kwikset**

## PARTS

100

# **Keys Pin & Tumbler Parts**

INOL	DEL FUNCTION	BOTTOM	QTY
		PIN SIZE	
88550	-023	3.962 mm	50
88550	-024	4.191 mm	50
88550	-025	4.267 mm	50
88550	-026	4.369 mm	50
88550	-027	4.572 mm	50
88550	-028	4.75 mm	50
88550	-029	4.953 mm	50
88550	-030	5.182 mm	50
88550	-031	5.334 mm	50
88550	-032	5.537 mm	50
88550	-033	5.588 mm	50
88550	-034	5.715 mm	50
88550	-035	5.944 mm	50
88550	-036	6.096 mm	50
88550		6.35 mm	50
88550		6.477 mm	50
88550		6.553 mm	50
88550		6.731 mm	50
88550		6.858 mm	50
88550		7.01 mm	50
88550		7.29 mm	50
88550		7.468 mm	50
88550		7.400 mm	50
80152	-001 Plug Follower		1
80369			100
80370			100
80371			
81467			
01407			10
01777	()()] Tumbler Cosing		10
81777			10 1 100
81858	-001 Regular Top Pin 4.572 mm		10 1 100 100
81858 82208	-001 Regular Top Pin 4.572 mm -001 PK Balls		10 1 100 100 100
81858 82208 83100	-001         Regular Top Pin 4.572 mm           0-001         PK Balls           -001         #1 Bottom Pin 4.369 mm		10 1 100 100 100 100
81858 82208 83100 83101	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm		10 1 100 100 100 100 100
81858 82208 83100 83101 83103	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm		10 1 100 100 100 100 100 100
81858 82208 83100 83101 83103 83105	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm		10 1 100 100 100 100 100 100 100 100
81858 82208 83100 83101 83103 83105 83106	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm		10 1 100 100 100 100 100 100 100 100
81858 82208 83100 83101 83103 83105 83106 83107	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83101	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #2 Master Pin 1.168 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #2 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #2 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #4 Master Pin 2.337 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #2 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #4 Master Pin 2.337 mm           -001         #4 Master Pin 2.321 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114 83117	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #4 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #4 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114 83117 83125	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #5 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm           -001         #6 Master Pin 3.505 mm		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114 83117 83125 83561	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #5 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm           -001         #6 Master Pin 3.505 mm           -001         Spring Cover (6-Pin)		10 1 100 100 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114 83117 83125 83561 84345	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #5 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm           -001         #6 Master Pin 3.505 mm           -001         Knob Plug Retainer		10 1 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83113 83114 83117 83125 83561 84345 84215	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #3 Master Pin 1.753 mm           -001         #5 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm           -001         #6 Master Pin 3.505 mm           -001         Knob Plug Retainer           -001         Deadlock Plug Retainer		10 1 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83114 83117 83125 83561 84345 84215 84215	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #2 Master Pin 1.168 mm           -001         #5 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         PK Top Pin 4.064 mm           -001         PK Top Pin 4.064 mm           -001         Knob Plug Retainer           -001         Knob Plug Retainer           -001         Deadlock Plug Retainer           -001         Spring Cover (5-Pin)		10 1 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83114 83117 83125 83561 84345 84215 855757 87619	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #2 Master Pin 1.168 mm           -001         #3 Master Pin 2.337 mm           -001         #4 Master Pin 2.337 mm           -001         #5 Master Pin 2.921 mm           -001         #5 Master Pin 3.505 mm           -001         PK Top Pin 4.064 mm           -001         Knob Plug Retainer           -001         Spring Cover (6-Pin)           -001         Knob Plug Retainer           -001         Knob Control Lug (Locking Bar)		10 1 100 100 100 100 100 100 10
81858 82208 83100 83101 83103 83105 83106 83107 83108 83110 83112 83114 83117 83125 83561 84345 84215 84215	-001         Regular Top Pin 4.572 mm           -001         PK Balls           -001         #1 Bottom Pin 4.369 mm           -001         #2 Bottom Pin 4.953 mm           -001         #2 Bottom Pin 4.953 mm           -001         #3 Bottom Pin 5.537 mm           -001         #3 Bottom Pin 6.121 mm           -001         #5 Bottom Pin 6.706 mm           -001         #6 Bottom Pin 7.29 mm           -001         #6 Bottom Pin 7.29 mm           -001         #1 Master Pin 0.584 mm           -001         #1 Master Pin 1.168 mm           -001         #2 Master Pin 1.753 mm           -001         #5 Master Pin 2.921 mm           -001         #5 Master Pin 3.505 mm           -001         PK Top Pin 4.064 mm           -001         PK Top Pin 4.064 mm           -001         Spring Cover (6-Pin)           -001         Knob Plug Retainer           -001         Deadlock Plug Retainer           -001         Spring Cover (5-Pin)           -001         Knob Control Lug (Locking Bar)           -001         Spring		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

87809-001 Deadlock Control Lug (Locking Bar)

# **Cylinders Pin & Tumbler**

KNOB CYLINDERS		
	MODEL	FUNCTION
	90009-011	7750A - Al
	90009-012	13754 - Cir
	90009-042	15860 - Po
	90009-043	13752 - Hai
	90009-013	1850 - All (

LEVER CYLINDERS		
	MODEL	FUNCTION
	90009-077	24042 - 40
	90009-076	21664 - Kw

DEADBOLT CYLINDERS		
	MODEL	FUNCTION
	90009-016	2776 - 665
and the second sec	90009-017	2777 - 665
	90009-041	15843 - 660
	90009-045	785 - Exter

**NOTE:** Must specifiy finish when ordering cylinders.



Abbey (6 Pin)

rca (6 Pin)

olo (5 Pin)

ncock (6 Pin)

Other Kwikset Signature Knobs (5 Pin)

105 Lever/Gibson Handleset (5 Pin)

wikset Signatures Lever Cylinder (6 Pin)

5 Interior (5 Pin)

5 Interior (5 Pin)

60 Exterior (5 Pin)

rior without Housing (6 Pin)

General Information

## PARTS

## PARTS

# **Keys Pin & Tumbler Parts**

DEADBOLTS		
	MODEL	FUNCTION
and a second sec	90009-046	785 - Interior without Housing (6 Pin)
Housing	90009-010	87765 - 780 with Housing, Complete Assembly
Core —	87894-001	07894 - 01 Housing Only, Outside
	90009-044	8325 - 780 Core without Housing
Housing	90009-019	87766 - 785 Exterior with Housing, Complete Assembly
Core -	87894-001	07894 - 01 Housing Only, Outside
- Housing Core - Core	90009-020	87767 - 785 Interior with Housing, Complete Assembly
	90009-065	13443 - 980/993Cyl G1 (6 Pin)
	81227	13423 - Cvr Bay Ext G1
The second	90009-078	13448 - 985/994Cyl Interior (6 Pin)
and the second sec	90009-079	13450 - 985/994Cyl Exterior (6 Pin)

NOTE: Must specifiy finish when ordering cylinders.

 <b>SMARTKEY</b>
<b>SECURITY</b>

SMARTK	EY [®] CYLINDERS					A۷	AILAB	LE FINI	SH				
	FUNCTION	3	LO3	5	15	15A	26	26D	11P	501	502	514	N/A
83279	SMT Knob/Lever Cylinder Only	GOLD			SILVER				BRONZE			BLACK	
83373	SMT Deadbolt CYL Only (SGL CYL)	GOLD			SILVER				BRONZE			BLACK	
83280	SMT CN, C, H, T, CV CYL with Housing	•		•	•	٠	•	•	•	•	•	•	
83320	SMT CA, A CLY with Housing	•	•	•	•	•	•	•	•				
83281	SMT SNGL CYL DB with Housing 780/980		•	•	•	٠	•	•	•	•	•	•	
83343	SMT SNGL CYL DB with Housing 660	•		•	•	•	•	•	•				
83344	SMT DBL CYL DB with Housing 665 Interior & Exterior	•		•	•	•	•	•	•				
SMARTK	EY® RE-KEY KITS					A۱	AII ABI	LE FINI	SH				
	FUNCTION	3	LO3	5	15	15A	26	26D	11P	501	502	514	N/A
83262	Carded CP Re-key Kit (4 silver/2 brass)												•
83335	4 cut keys with re-key tool												•
83336	6 cut keys with re-key tool												•
SMARTK	EY [®] CONVERSION KITS					A۷	AILAB	LE FINI	SH				
	FUNCTION	3	LO3	5	15	15A	26	26D	11P	501	502	514	N/A

SMARTK	EY [®] CONVERSION KITS					A۷	/AILAB	LE FINI	SH				
	FUNCTION	3	LO3	5	15	15A	26	26D	11P	501	502	514	N/A
83325	Abbey & Circa	•	•	•	•	•	•	•	•				
83328	Cameron, Copa, Hancock, Tylo & Cove	•	•	•	•	•	•	•	•	•	•	•	
83377	Polo	•		•	•	•	•	•	•				
83326	780/980/800/993	•	•	•	•	•	•	•	•	•	•	•	
83327	785	•	•	•	•	•	•	•	•	•	•	•	
83340	985/801/994		•	•	•	•	•	•	•	•	•	•	

RE-KEYI	NG TOOLS					A۷	AILAB	LE FINI	SH				
	FUNCTION	3	LO3	5	15	15A	26	26D	11P	501	502	514	N/A
83282	Steel Learn Tool												•
83283	Red Plastic KW Learn Tool												•
83260	Reset Cradle												•
83338	Large Knob/Lever C-clip (Pack of 50)												•
83337	Large Deadbolt C-clip (Pack of 50)												•
83374	SmartKey® Round Spindle (Knob)												•

# Kwikset.

General Information

Electronics

Tubular



## PARTS

## PARTS

**Key Control** 

MODEL	MODEL FUNCTION				AVAILABLE FINISH										
			3	5	11	15	26D	N/A	QTY.						
	83382	Key Control Deadbolt Key Blanks						•	10						
	83383	Key Control Deadbolt Cut Keys						•	10						
Comme	83389	Key Control Deadbolt Cylinder Cover	•	•	•	•	•		1						
	83390	Key Control Deadbolt Mounting Screws	GOLD		BRONZE	SILVER			1						
	83388	Key Control Deadbolt Torque Blade						•	10						
	83386	Key Control Deadbolt Gear Assembly						•	1						
J. J.	83387	Key Control Deadbolt Screws for Gear Assembly						٠	1						
and the second s	83392	Key Control Deadbolt Tool						•	1						
	83393	Key Control Deadbolt Screws	GOLD	GOLD	BRONZE	SILVER	SILVER		1						
	83394	Key Control Deadbolt Screw Torx Wrench						•	1						
	83397	Key Control Deadbolt Thin Door Kit	•			•	•		1						

# Latches

DEADBOLT ADJUSTABLE LATCHES	MODEL	FUNCTION				AVAI	LABLE FIN	IISH		
			3	5	15	15A	26/26D	11P	514	N/A
	04705								514	N/A
RCAL	81305	660 Series Deadbolt Standard	•	•	•	•	•	•		
© 1 1 0 0 1	81258	Series Deadbolt Standard UL	•		•		•	•		
Com Bha	83347		•	•	•	•	•	•	•	
	80391	Tapered Bolt Deadbolt*	•		•			•		
	*Replace	ment only.								
			3	5	15	15A	26/26D	11P	514	N/A
RFAL	81306	660 Series Deadbolt Standard								•
P 403	83371	Series Deadbolt Standard				•				•
a delater	80393	Tapered Bolt Deadbolt*	•		•			•		
	*Replace	ment only.								
			3	5	15	15A	26/26D	11P	514	N/A
	81308	660 Series Deadbolt Standard	•	•	•	•	•	•		
	84513	780 Series Deadbolt Standard UL	•	•	•	•	•	•		
SCAL	81257	Series Deadbolt Standard UL	•		•		•	•		
A line of the second	83370	Series Deadbolt Standard	•	•	•	•	•	•	•	
	80392	Tapered Bolt Deadbolt*	•		•			•		
		ment only.	_							
			7	5	15	15A	26/26D	11P	514	NI / A
			5	Э	15	ISA	20/200	ΠΡ	514	N/A
	83002	4-WAL HFL, MIL			•			•		
a CL	03002	4-WAL HFL, MIL			•		· ·	•		
DEADBOLT SPECIALTY LATCHES	MODEL	FUNCTION				AVAI	LABLE FIN	IISH		
			3	5	15	15A	26/26D	11P	514	N/A
5L	82730	127mm Kwikset	•	•			•			
	*Replace	ment only.								
			3	5	15	15A	26/26D	11P	514	N/A
Gatelatch 🔊 🎢			3	5	15	15A	26/26D	11P	514	N/A
266	83277	Gatelatch Standard	3	•	15	15A	26/26D	11P	514	N/A
Gatelatch	83277	Gatelatch Standard	T		15	15A		11P	514	N/A
A CON	83277	Gatelatch Standard	·		15	15A		11P 11P	514	N/A
A Contraction of the second seco			•	•			•	11P		
266	82731	60mm Backset	•	• 5			• 26/26D •	11P •		
A Contraction of the second seco			•	•			• 26/26D	11P		
A sea	82731	60mm Backset	•	• 5			• 26/26D •	11P •		
RCL Contractions	82731 82732	60mm Backset	• 3 •	• 5 •	15	15A	• 26/26D •	11P •	514	N/A
A sea	82731 82732 82734	60mm Backset 70mm Backset 60mm Backset	• 3 •	• 5 • 5 •	15	15A	• 26/26D •	11P •	514	N/A N/A
RCL Contractions	82731 82732	60mm Backset 70mm Backset	• 3 •	• 5 • 5	15	15A	• 26/26D •	11P •	514	N/A N/A
RCL Contractions	82731 82732 82734	60mm Backset 70mm Backset 60mm Backset	• 3 •	• 5 • 5 •	15	15A	• 26/26D •	11P •	514	N/A N/A
RCL Contractions	82731 82732 82734	60mm Backset 70mm Backset 60mm Backset	• • • 3	• 5 • 5 •	15	15A 15A	• 26/26D • 26/26D	11P • 11P	514	N/A N/A •
RCL Contractions	82731 82732 82734 82735	60mm Backset 70mm Backset 60mm Backset 70mm Backset	• • • 3	• 5 • 5 • • 5	15	15A 15A	• 26/26D • 26/26D 26/26D	11P • 11P 11P	514	N/A N/A •

# Kwikset.

## PARTS

#### PARTS

# Latches

DEADBOLT ADJUSTABLE LATCHES	MODEL	FUNCTION				AVA	AILABLE F	INISH		
			3	5	15	15A	26/26D	11P	514	N/A
RCAL	82246	RCAL Half-Round Plain Latch	•	•	•	•	•	•	•	
Taits	82247	RCAL Half-Round Dead Latch	•	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514	
Core Latch	81846	6-Way Half-Round Core Deadlatch								•
E Last	81847	6-Way Half-Round Core Plain Latch								•
			3	5	15	15A	26/26D	11P	514	
Back Plate	81827	6-Way Back Plate								•
			3	5	15	15A	26/26D	11P	514	
Drive in Collar	81828	6-Way Deadlatch Collar								•
	81829	6-Way Plain Latch Collar								•
			3	5	15	15A	26/26D	11P	514	
Service Kits	81844	6-Way Deadlatch Service Kit	•	•	•	•	•	•	•	
	81845	6-Way Plain Latch Service Kit	•	•	•	•	•	•	•	

#### KEY:

<b>5L</b> - 5" Latch
RCL - Round Corner Latch
<b>RFL</b> - Round Face Latch (Drive-In Collar attached)
SCL - Square Corner Latch
RCAL - Round Corner Adjustable Latch

**RFAL** - Round Face Adjustable Latch **SCAL** - Square Corner Adjustable Latch **WFAL** - Wide Face Adjustable Latch

#### NOTES:

All plain and deadlatches can be used with all Kwikset and Kwikset Signatures knob and lever products. Plainlatches are used with passage and privacy functions. Deadlatches are used with entry functions. ALL FRONTS ARE 2-1/4" HIGH.

For fire rating. UL latches must be used with UL listed locksets and applicable strikes. UL Kwikset and Kwikset Signatures are rated for 3 hours, unless otherwise specified.

# Latches

SPECIALTY DEADLATCHES	MODEL	FUNCTION				AVAIL	ABLE FIN	IISH	
			3	5	15	15A	26/26D	11P	514
SCOL REIS	84292	70mm Backset - UL	•	•	•	•	•	•	
	84297	60mm Backset - UL	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514
WFDL REF3	84255	70mm Backset - UL	•	•	•	•	•	•	
	84295	60mm Backset - UL	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514
5L SCDL	83014	127mm Latch (replacement part only)	•	•			•		
SPECIALTY PLAIN LATCHES	MODEL	FUNCTION		_		AVAIL	ABLE FIN	IISH	
			3	5	15	15A	26/26D	11P	514
SCPL Fel3	84290	70mm Backset - UL	•	•	•	•	•	•	
	84296	60mm Backset - UL	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514
WFPL BUS	84254	70mm Backset - UL	•	•	•	•	•	•	
	84294	60mm Backset - UL	•	•	•	•	•	•	

KEY: 5L - 5" Latch DL - Deadlatch RC - Round Corner SC - Square Corner RCL - Round Corner Latch RFL - Round Face Latch (Drive In Collar attached) SCL - Square Corner Latch RCAL - Round Corner Adjustable Latch
RFAL - Round Face Adjustable Latch SCAL - Square Corner Adjustable Latch SCDL - Square Corner Deadlatch SCPL - Square Corner Plainlatch WFAL - Wide Face Adjustable Latch WFDL - Wide Face Deadlatch WFPL - Wide Face Plainlatch

# **Kwikset**

General Information

Electronics

Tubular

## PARTS


## PARTS

**Strikes** 

Strikes

PLAIN LATCH & DEADLATCH	MODEL	FUNCTION				AVAIL	ABLE FIN	ISH	
			3	5	15	15A	26/26D	11P	514
(Car)	80318	Full Round, Adjustable Strike (500 Per Box, 10 Per Box)	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514
	83028**	T (30 Per Carton)	•	•	•	•	•	•	
	Standard	l on 588, 589 and UL listed Kno	b a	nd L	ever sets				
			3	5	15	15A	26/26D	11P1	514
	83030**	Full Lip Square Corner Strike, UL	•	•	•	•	•	•	
	UL Optio	n.							
			3	5	15	15A	26/26D	11P	514
	83031**	Full Lip Round Corner Strike, UL	•	•	•	•	•	•	
	UL Optio	n.							
			3	5	15	15A	26/26D	11P	514
	83437*	Full Lip Square Corner	•	•	•	•	•	•	
O.	Standard	l on Non-UL Locksets.							
			3	5	15	15A	26/26D	11P	514
	83796*	Full Lip Round Corner (RCS4)	•	•	•	•	•	•	
			3	5	15	15A	26/26D	11P	514
	83846**	ASA-1 (30 Per Carton)	•	•	•	•	•	•	
	Add \$3.7	5 to Knob and Lever sets and s	spec	ify	81967 stri	ke box			
			3	5	15	15A	26/26D	11P	514
	83929	Full Round 45mm	•	•	•	•	•	•	

*20-minute fire rating with UL locks and latchbolts. ** 3-hour fire rating with UL Kwikset Signatures and 1.5 hour fire rating with UL Kwikset locks and latchbolts.



NOTES:

*20-minute fire rating with UL locks and latchbolts.
** 3-hour fire rating with UL Kwikset Signatures and 1.5 hour fire rating with UL Kwikset locks and latchbolts.

NOTES:

# **Kwikset**

MODEL	FUNCTION				AVAIL	ABLE FIN	IISH	
		3	5	15	15A	26/26D	11P	514
83222**	Deadbolt Strike	•	•	•	•	•	•	•
Standard	l on 780, 785, 980, 985 Deadbo	olts.						
		3	5	15	15A	26/26D	11P	514
83223**	Deadbolt Round Corner Strike	•	•	•	•	•	•	•
Standard	l on 780, 785, 980, 985 Deadbo	olts.						
		3	5	15	15A	26/26D	11P	514
84632**	Deadbolt T-Strike (60 Per Carton)	•	•	•	•	•	•	•
		3	5	15	15A	26/26D	11P	514
84638**	Deadbolt, Full Lip	•	•	•	•	•	•	•
		3	5	15	15A	26/26D	11P	514
85063**	Deadbolt 25mm x 64mm Round Corner (RCS4)	•	•	•	•	•	•	•
Standard	on 660, 665 Deadbolts.							
		3	5	15	15A	26/26D	11P	514
85072**	Deadbolt 25mm x 57mm	•	•	•	•	•	•	
Standard	on 660, 665 Deadbolts.							
		3	5	15	15A	26/26D	11P	514
85278**	Deadbolt 29mm x 70mm	•	•	•	•	•	•	•
Standard	on 782, 784 Deadbolts.							
		3	5	15	15A	26/26D	11P	514
85279**	Deadbolt 29mm x 70mm	•	•	•	•	•	•	•
Standard	l on 782, 784 Deadbolts.							

General Information

Electronics

Tubular



# **Strikes & Strike Boxes**


DEADBOLT (CONTD.)	MODEL	FUNCTION	AVAILABLE FINISH						
			3	5	15	15A	26/26D	11P	514
	85303**	Deadbolt, Full Lip Round Corner	•	•	•	•	•	•	•

NOTES:

*20-minute fire rating with UL locks and latchbolts.
*3-hour fire rating with UL Kwikset Signatures and 1.5 hour fire rating with UL Kwikset locks and latchbolts.

STRIKE BOXES	MODEL	FUNCTION				A١	AILABLE	FINISH		
			3	5	15	15A	26/26D	11P	514	N/A
	81225	Box for 980 Series strikes								•
			3	5	15	15A	26/26D	11P	514	N/A
	81231	Box for 83028 T Strike								•
			3	5	15	15A	26/26D	11P	514	N/A
	83288	Box for Full Lip Strikes								•
			3	5	15	15A	26/26D	11P	514	N/A
	81640	Box for all Deadbolt Strikes								•
			3	5	15	15A	26/26D	11P	514	N/A
	81967	Box for 83846 ASA-1 Strike								•

# **Screw Packs**





General Information

# **Kwikset**

)N				AVAILABI	_E FINISH		
	3	5	15/15A	26/26D	690/11P/501	514	N/A
Screws used on e Series styles A, CA, H, L							
Screws used on e Series styles ADL, AVL, BRL, PML, TNL and styles include: DNL	•		•	•	•		
Screws used on e Series styles C, CN, PE and styles include:	•		•	•	•		
ersible Lever Hex (2.38mm)							•

N				AVAILABI	_E FINISH		
	3	5	15/15A	26/26D	690/11P/501	514	N/A
Handleset Screw rles: A, CA, H, L, L, BRL, CHL, PML, , ADH, SE, HE, WN	•		•	•	•		
	3	5	15/15A	26/26D	690/11P/501	514	N/A
es Handleset ve Interior Screw er Styles: A, CA, L, AVL, BRL, CHL, , AVH, ADH, SE,	•		•	•	٠		
Washer	•		•	•	•		
	3	5	15/15A	26/26D	690/11P/501	514	N/A
Set & Wood Screw	•		•	•	•		
	3	5	15/15A	26/26D	690/11P/501	514	N/A
/Privacy/Interior 1T			•				
Pin & Tumbler Entry			•				
Entry Pin & & SMT			•				

General Information

Tubular

## PARTS

#### PARTS

**Screw Packs** 

DEADBOLTS	MODEL	FUNCTION				AVAIL	ABLE FIN	IISH		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
	86171	660 Deadbolt Screw Pack	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
BE CONTRACTOR	86099	665 Deadbolt Screw Pack	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
	86073	One-Way Screws, 665 Deadbolt	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
	81762	Machine Screws for 785 Deadbolt Pin & Tumbler 785	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
A A A A A A A A A A A A A A A A A A A	81247	780, 980 Deadbolt Screw Pack	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
	81261	985 Deadbolt Screw Pack	•		•	•	•	•		
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
00	81251	980 Series Deadbolt, Turnpiece Screw & Wrench								•
			3	5	15/502	15A	26/26D	690/11P/501	514	N/A
a lin	820285	P & T and SMT 158 Deadbolt Screw Pack			•	•	•	•		
		·	3	5	15/502	15A	26/26D	690/11P/501	514	N/A
and the second second	820286	P & T and SMT 159 Deadbolt Screw Pack			•	•	•	•		

DUMMY/INACTIVE	MODEL	FUNCTION	AVAILABLE FINISH						
			3	5	15/502	15A	26/26D	690/11P/501	514
	81708	488 & 788 Dummy Mounting Screws	•		•	•	•	•	
			3	5	15/502	15A	26/26D	690/11P/501	514
and and	81892	488 Dummy Adapter	•		•	•	•	•	

# **Screw Packs**

LATCH	MODEL	FUNCTION	AVAILABLE FINISH						
			3	5	15/502	15A	26/26D	690/11P/501	514
	81711	Latch & Strike Screws	•		•	•	•	•	
			3	5	15/502	15A	26/26D	690/11P/501	514
A A	82893	3846 Strike Screw Pack	•		•	•	•	•	
ADJUSTABLE INTERCONNECT	MODEL	FUNCTION				AVAIL	ABLE FIN	IISH	
			3	5	15/502	15A	26/26D	690/11P/501	514
60 00 00 00 00 00 00 00 00 00 00 00 00 0	83269	Adjustable Interconnect Pack Screw	•	•	•	•	•	•	•
			3	5	15/502	15A	26/26D	690/11P/501	514
Contraction of the second seco	83270	Adjustable Interconnect Screw Pack (Thick Door Pack)	•	•	•	•	•	•	•
STRIKES	MODEL	FUNCTION		-		AVAIL	ABLE FIN	IISH	
			3	5	15/502	15A	26/26D	690/11P/501	514
A CONTRACTOR	86356	76mm Strike Screws	•	•	•	•	•	•	•
	1		3	5	15/502	15A	26/26D	690/11P/501	514
Solution of the second se	88604	Full Round Strike Screws	•	•	•	•	•	•	•
THICK DOOR CONVERSION	MODEL	FUNCTION				AVAIL	ABLE FIN	IISH	
			3	5	15/502	_		690/11P/501	514
	81691	780 Deadbolt Thick Door Pack	•	•	•	•	•	•	•
			3	5	15/502	15A	26/26D	690/11P/501	514
S AND	820289	P & T and SMT 158 Deadbolt Thick Door Pack			•	•	•	•	
			3	5	15/502	15A	26/26D	690/11P/501	514
	820290	P & T and SMT 159 Deadbolt Thick Door Pack			•	•	•	•	

# **Kwikset**

General Information

Electronics

Tubular

## PARTS

#### PARTS

**Screw Packs** 

THICK DOOR CONVERSION	MODEL	FUNCTION	AVAILABLE FINISH						
			3	5	15/502	15A	26/26D	690/11P/501	514
	81249	984, 984, 985, 985 Thick Door Pack							
			3	5	15/502	15A	26/26D	690/11P/501	514
	84221	785 Thick Door Pack							
			3	5	15/502	15A	26/26D	690/11P/501	514
	86129	660 Thick Door Pack	•	•	•	•	•	•	•
a a	86130	665 Thick Door Pack	•	•	•	•	•	•	•
			3	5	15/502	15A	26/26D	690/11P/501	514
0 0 0	81714	Thick Door Pack, Signature Knob Styles: A, CA, H, L							
			3	5	15/502	15A	26/26D	690/11P/501	514
	81706	Thick Door Pack, Kwikset and Signature Knob & Lever Styles: CN, C, LL, TNL, P, T, V, DL, DNL, ADD, AVC, ADC, CHC, BRL, PML	•	•	•	•	•	•	•
			3	5	15/502	15A	26/26D	690/11P/501	514
8 8	820291	Thick Door Pack, Kwikset and Signature Series Lever Styles: HFL, MIL, LSL			•	•	•	•	
			3	5	15/502	15A	26/26D	690/11P/501	514
0 OF	81838	Thick Door Pack, Handleset Adapter	•	•	•	•	•	•	•
		·	3	5	15/502	15A	26/26D	690/11P/501	514
a contraction	81781	Thick Door Pack, All Active & Dummy Handlesets	•	•	•	•	•	•	•

# **Miscellaneous Parts**

MODEL		FUNCTION		AVAILABLE FINISH									
			3	5	15	15A	26	26D	11P	N/A			
	82768	660/665 Cylinder Guard								•			
	87760	780 Cylinder Guard								•			
	82746	660/665 Cylinder Guard Cover	•	•	•	•	•	•	•				
	87759	780 Cylinder Guard Cover	•	•	•	•	•	•	•				
Ø	82216	980 Cylinder Guard Cover	•	•	•	•	•	•	٠				
	84991	660 Torque Blade								•			
(G)	83273	660/663/667/677/588 Thumb Turn	•	•	•	•	•	•	٠				
	81692	780 Thumb Turn	•	•	•	•	•	•	•				
G	82217	980 Thumb Turn	•	•	•	•	•	•	٠				
O	88381	664, 667, 677 Exterior Plate	•	•			•	•	•				
E.	81295	Kwik-Install Mounting Plate								•			
Ø	87789	Reinforcing Plate								•			

# **Kwikset**

General Information

Electronics

Tubular



## PARTS

# **Miscellaneous Parts**

MODEL		FUNCTION			A	VAILABI	LE FINIS	H		
			3	5	15	15A	26	26D	11P	N/A
	82778	699 Function Dummy Cylinder	•	•	•	•	•	•		
	81402	800 Handleset Thick Door Spindle								•
	81239	Grade 1 Body Dummy Cylinder								•
$\bigcirc$	81226	Dummy Cylinder Cover	•	•	•	•	•	•		
	84990	663/667/677/664 Tailpiece								•
<b>\$</b>	84568	663 Block, Bolt Mounting								•
	81404	Non-Handed Levers Dummy Adapter								•
CT CONTRACTOR	88841	300 Knobs Interior Round Spindle								•
STA DE	87628	740 Interior Round Spindle								•
	85624	89mm Screw Driver Bit								•
And	88448	U.L. Shield Knobs								•
2000	81857	U.L. Shield Deadbolts								•

# **Miscellaneous Parts**

MODEL		FUNCTION			A	VAILABI	_E FINIS	Н		
			3	5	15	15A	26	26D	11P	N/A
	81822	DB 54mm Adapter or 780/970/980								•
	84987	21mm Torque Blade								•
	84988	35mm Torque Blade Double Cylinder Thick Door								•
	84992	63mm Torque Blade Single Cylinder Thick Door								•
	84994	36mm Torque Blade, Thick Door								•
	84993	28mm Torque Blade, Standard Door								•
	83621	Finish Sample Ring								•
	83396	Vedani Lever Support Insert								•
	85333	Half Round & Round Spindle Assembly								•
	85570	5570-01 Screws 38mm	•							
Ð	820314	Levers and Knobs Frost Insert								•



General Information

Electronics

Tubular



#### HOW TO ORDER

#### HOW TO ORDER



	FUNCTION		DESI	GN	FINISH		CYLINDER (if applicable) PACK			GING
	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
,	Passage / Hall & Closet	720	Arroyo	AYK	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
i i	Privacy / Bed & Bath	730	Pismo	PSK	Satin Brass	4	SmartKey	SMT	Clear Pack	СР
)	Entry	740	Abbey	A	Venetian Bronze	11P				
	Vestibule	750	Hancock	Н	Satin Nickel	15				
	Half Dummy	788	Laurel	L	Polished Chrome	26				
	Single Cylinder Interior Pack	966			Satin Chrome	26D				
	Double Cylinder Interior Pack	967			Matte Black	514				
	Dummy Interior Pack	968								

730PSK 11P CP Example:

Privacy Pismo Pin & Tumbler knob in venetian bronze in clear pack.

	FUNCTION		DESIGN		FINISH		CYLINDER (if	applicable)	PACKAGING	
	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
	Passage / Hall & Closet	720	Halifax	HFL	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
2	Privacy / Bed & Bath	730	Lisbon	LSL	Satin Brass	4	SmartKey	SMT	Clear Pack	СР
	Entry	740	Milan	MIL	Venetian Bronze	11P			•	
_	Vestibule	750	Singapore	SAL	Satin Nickel	15	1		/	
	Half Dummy	788	Tripoli	TPL	Polished Chrome	26	1	/		
	Single Cylinder Interior Pack	966	Katella	KTL	Satin Chrome	26D	/	/		
	Double Cylinder Interior Pack	967	Perth	PTH	Matte Black	514	1 /	/		
	Dummy Interior Pack	968	Sedona	SEL			. /			
			Trafford	TDL						
			Tustin	TNL						
			Exa	ample	: 740 LS	SL 26D	SMT CP			

Keyed entry Lisbon SmartKey lever in satin chrome in clear pack.



Grade 1 Single Cylinder Halifax SmartKey deadbolt in venetian bronze in box pack.

FUNCTION		DESIG	N	FINISH		CYLINDER (if applicable) PACK			GING
	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	COD
8	<b>800</b> /818	Arlington	AN	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLAN
	801	Avalon	AVL	Satin Brass	4	SmartKey	SMT	Clear Pack	CP
1	802/819	Chelsea	CE	Venetian Bronze	11P				
	814	Hawthorne	HE	Satin Nickel	15	1			
ock	815	Austin	AUH	Polished Chrome	26	1			
		Shelburne	SE	Satin Chrome	26D	1	/		
		Prague	PGH	Matte Black	514	/	*		
		San Chemente	SCE			. /	/		
		Vancouver	VNH						
		Tavaris	TVH						
		Prescott	PTH						
			$\sim$						
					_				
		800/818 801 802/819 814	800/818     Arlington       801     Avalon       802/819     Chelsea       814     Hawthorne       cock     815       Austin     Shelburne       Prague     San Chemente       Vancouver     Tavaris       Prescott     Prescott	800/818     Arlington     AN       801     Avalon     AVL       802/819     Chelsea     CE       814     Hawthorne     HE       cock     815     Austin     AUH       Shelburne     SE       Prague     PGH       San Chemente     SCE       Vancouver     VNH       Tavaris     TVH       Prescott     PTH	800/818     Arlington     AN     Polished Brass       801     Avalon     AVL     Satin Brass       802/819     Chelsea     CE     Venetian Bronze       814     Hawthorne     HE     Satin Nickel       cock     815     Austin     AUH       Polished Chrome     SE     Satin Chrome       Prague     PGH     Matte Black       San Chemente     SCE       Vancouver     VNH       Tavaris     TVH       Prescott     PTH	800/818     Arlington     AN     Polished Brass     3       801     Avalon     AVL     Satin Brass     4       802/819     Chelsea     CE     Venetian Bronze     11P       814     Hawthorne     HE     Satin Nickel     15       cock     815     Austin     AUH     Polished Chrome     26       Shelburne     SE     Satin Chrome     26D       Prague     PGH     Matte Black     514       San Chemente     SCE     Vancouver     VNH       Tavaris     TVH     Prescott     PTH	800/818     Arlington     AN     Polished Brass     3     Pin & Tumbler       801     Avalon     AVL     Satin Brass     4     SmartKey       802/819     Chelsea     CE     Venetian Bronze     11P       814     Hawthorne     HE     Satin Nickel     15       cock     815     Austin     AUH     Polished Chrome     26       Prague     PGH     Matte Black     514       San Chemente     SCE     Vancouver     VNH       Tavaris     TVH     Prescott     PTH	800/818       Arlington       AN       Polished Brass       3       Pin & Tumbler       [BLANK]         801       Avalon       AVL       Satin Brass       4       SmartKey       SMT         802/819       Chelsea       CE       Venetian Bronze       11P         814       Hawthorne       HE       Satin Nickel       15         cock       815       Austin       AUH       Polished Chrome       26         Prague       PGH       Matte Black       514         San Chemente       SCE       Vancouver       VNH         Tavaris       TVH       Prescott       PTH	800/818       Arlington       AN       Polished Brass       3       Pin & Tumbler       [BLANK]       Box Pack         801       Avalon       AVL       Satin Brass       4       SmartKey       SMT       Clear Pack         802/819       Chelsea       CE       Venetian Bronze       11P         814       Hawthorne       HE       Satin Nickel       15         sock       815       Austin       AUH       Polished Chrome       26         Prague       PGH       Matte Black       514         San Chemente       SCE       Vancouver       VNH         Tavaris       TVH       Prescott       PTH

FUNCTION		DES	IGN	FINISH		CYLINDER (if applicable) PACKAG			GING
NAME Hall/Closet Privacy/Bed&Bath	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
Hall/Closet	200	Cove	CV	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
Privacy/Bed&Bath	300	Polo	Р	Antique Brass	5	SmartKey	SMT	Clear Pack	СР
Entry	400	Tylo	T	Venetian Bronze	11P				/
Storeroom	450	Aliso	AO	Satin Nickel	15				
Half Dummy	488			Polished Chrome	26				
		•		Satin Chrome	26D				
				Matte Black	514				
					/	./ /			
		E .	vample	700 D	26 GM7				

	FUNCTION		DESIG	N	FINISH		CYLINDER (if	applicable)	PACKAG	GING
	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
S	Hall/Closet	200	Delta	DL	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
L L L L L	Privacy Bed&Bath	300	Dorian	DNL	Antique Brass	5	SmartKey	SMT	Clear Pack	СР
>	Entry	405	Breton (RDT)	BRNL RDT	Venetian Bronze	11P				
Ш Ц	Keyed Lever UL(90 Min.)	409	Breton (SQT)	BRNL SQT	Satin Nickel	15			/	/
	Storeroom Keyed Lever UL	412	Casey (RDT)	CSL RDT	Polished Chrome	26				
	Hall/Closet UL(90Min.)	420	Casey (SQT)	CSL SQT	Satin Chrome	26D		/		
	Storeroom Keyed Lever	462	Henley	HYL	Matte Black	514	/	/		
	Half Dummy	488	Balboa	BL			. /			
			Ladera (RDT)	LRL RDT						
			Ladera (SQT)	LRL SQT						
			Exa	mple:	405 DN	L 26D	SMTCP			

5	FUNCTION			FINISH	
DEADBOLT	NAME	со	DE	NAME	С
Ā	Single Cylinder	66	0	Polished Brass	
H ا	Single Sided	66	3	Antique Brass	
	Double Cylinder	66	5	Venetian Bronze	
				Satin Nickel	
				Polished Chrome	
				Satin Chrome	1
				Matte Black	

#### Example:

Keyed entry Dorian SmartKey lever in satin chrome in clear pack

SET	FUNCTION		DESIG	١	FINISH		CYLINDER (if	applicable)	PACKA	GING
DLESI	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
AN	Single Cylinder	687	Amador	AMD	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
H⊳	Handle Only	898	Belleview	BW	Antique Brass	5	SmartKey	SMT	Clear Pack	CP
			Dakota	DA	Venetian Bronze	11P				
			Henley	HYH	Satin Nickel	15				
					Polished Chrome	26				
					Satin Chrome	26D				
					Matte Black	514				
			Eva	mple:	687 AM		411			

Single Cylinder Austin SmartKey handleset with Austin lever interior in matte black in box pack






#### Example: 300 P 26 SMT CP

Privacy Polo SmartKey knob in polished chrome in clear pack.

Keyed entry Dorian SmartKey lever in satin chrome in clear pack



Single Cylinder Amador Pin& tumbler handleset in antique brass in box pack



#### HOW TO ORDER

Ņ	FUNCTION		DESIGN		FINISH		CYLINDER (if	applicable)	PACKAGING	
KNOBS	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
Υ Υ	Entry	400	Tylo	Т	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
	Privacy/Bed&Bath	300	Polo	Р	Antique Brass	5	SmartKey	SMT	Clear Pack	СР
			Cove	CV	Venetian Bronze	11P				
			Eclipse	E	Satin Nickel	15				
			Belair	₿	Polished Chrome	26				
					Satin Chrome	26D				
			Exa	mple:	300 P 2	26 CP				

Keyed entry Polo Pin & Tumbler knob in polished chrome in clear pack.

	FUNCTION		DESIGN		FINISH		CYLINDER (if	applicable)	PACKAGING	
ഗ	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE	NAME	CODE
ERS	Hall/Closet	200	Delta	DL	Polished Brass	3	Pin & Tumbler	[BLANK]	Box Pack	[BLANK]
	Privacy Bed&Bath	300	Dorian	DNL	Antique Brass	5	SmartKey	SMT	Clear Pack	СР
<u> </u>	Keyed Lever	405	Queen	QN	Satin Nickel	15				
	Keyed Lever UL(90 Min.)	409	Rimini	RML	Polished Chrome	26				
	Vestibule	450	Westley	WTL	Satin Chrome	26D				
	Half Dummy	488	Daylon	DAL	Matte Black	514				
			<b>.</b>	ample:	405 DN					

Keyed entry Dorian Pin & Tumbler lever in satin nickel in clear pack.

оцт	FUNCTION		FINISH		PACKAGING		
DBO	NAME	CODE	NAME	CODE	NAME	CODE	
DEA	Single Cylinder	660	Polished Brass	3	Box Pack	[BLANK]	
	Double Cylinder	665	Antique Brass	5	Clear Pack	405	
			Venetian Bronze	11P			
			Satin Nickel	15			
			Polished Chrome	26			
			Satin Chrome	26D			
			Exam	ple:	660 26	СР	

Single cylinder deadbolt in polished brass in clear box.



Single Cylinder Farmington Pin& tumbler handleset in satin nickel in box pack.